

SECTION 3.0100

DEFINITIONS

General

- 3.0101 General Provisions
- 3.0102 List of Terms
- 3.0103 General Terms and Definitions
- 3.0120 Overlay District Terms and Definitions
- 3.0140 Renewable Energy Related Terms and Definitions
- 3.0150 Tree Related Terms and Definitions
- 3.0160 Temporary, Intermittent, and Interim Uses Terms and Definitions

GENERAL

3.0101 GENERAL PROVISIONS

The purpose of Definitions is to define terms that are used frequently in the Gresham Community Development Code and to assist decision makers in interpreting and applying the Code. Those words used in the Community Development Code shall be subject to the generally accepted dictionary definitions, unless otherwise noted in **Section 3.0100**. Those words listed in **Section 3.0100** shall be subject to those definitions provided, unless the context clearly implies differently. In such cases, the context in which a term is used will indicate its intended meaning, and that intent shall control. Terms not defined here shall have their ordinary accepted meaning as identified in the latest edition of Webster’s Dictionary of the English Language.

As used in this ordinance, “shall” and “must” are mandatory. “May” and “should” are permissive.

3.0102 LIST OF TERMS

Terms used in the Development Code are presented below. General terms that apply throughout the Code are listed in **Section 3.0102**. Terms that are specific to a Development Code section are listed after the General Terms. These categories are:

- A.** Overlay District Terms and Definitions. **Section 3.0120**
- B.** Renewable Energy Related Terms and Definitions. **Section 3.0140**
- C.** Tree Related Terms and Definitions. **Section 3.0150**
- D.** Temporary, Intermittent and Interim Uses Terms and Definitions. **Section 3.0160**

If a term is defined in both the General Definitions and in a Section-specific category, the Section-specific definition shall be used if the application of the term is within the parameters of the Code Section.

General Terms

A-Board Sign – *See Signs*

Abandoned Sign – *See Signs*

Abut

Access

Access Aisle

Accessory Dwelling – *See Dwelling Unit*

Accessory Structure – *See Structure, Accessory*

Accessory Use – *See Use, Accessory*

Acreage, Net

Adjacent

Adjustments

Affordable Housing – *See Housing, Affordable*

Agriculture

Alteration

Alteration, Structural

Amateur (“Ham”) Radio

Amenity Zone

Animated Sign – *See Signs*

Antenna

Antenna Support Structure

Apartment

Applicant

Application, Qualifying

Aquatic Habitat – *See Overlay District Definitions, Section 3.0120*

Arboriculture

Arborist

- Certified Arborist
- Consulting Arborist

Arcade

Archaeological Object

Archaeological Site

Archaeologist

Area of Shallow Flooding

Area of Special Flood Hazard

Approved Tree List

Assisted Living Housing – *See Elderly Housing*

Awning

Awning Sign – *See Signs*

Balcony

Balloon Sign – *See Signs*

Balustrade

Banner Sign – *See Signs*

Base – *See Façade*

Baseline

Basement

Battery Charging Station – *See Renewable Energy Related Definitions, Section 3.0140*

Battery Charging Unit – *See Renewable Energy Related Definitions, Section 3.0140*

Battery Exchange Station - *See Renewable Energy Related Definitions, Section 3.0140*

Bay (building façade)

Bedroom

Bench Sign – *See Signs*

Berm

Biogas – *See Renewable Energy Related Definitions, Section 3.0140*

Blade – *See Renewable Energy Related Definitions, Section 3.0140*

Block

Buffer Area

Buffer Tree – *See Tree*

Building

Building Area or Building Envelope

Building Code

Building Code Accessible

Building, Contiguous

Building Coverage

Building Footprint

Building Height

Building Line

Building Massing – *See Massing, Building*
Building Modulation – *See Modulation, Building*
Bulkhead
Butterfly Roof – *See Roof*
Canopy
Carpool/Vanpool Parking
Carport
Ceiling Height
Centralized Stormwater Management Facilities
Certified Arborist – *See Arborist*
Certified Engineering Geologist – *See Overlay District Definitions, Section 3.0120*
Certified Child Care Facility
Change of Use – *See Use, Change of*
Children’s Play Equipment
Citizen Band (CB) Radio
City
Civic Neighborhood Design District – *See Design District*
Clear Cutting – *See Tree Related Definitions, Section 3.0150*
Clear Vision Area
Clearing
Coarse Woody Debris – *See Overlay District Definitions, Section 3.0120.*
Co-Locate
Commercial Development
Common Wall
Common Open Space – *See Shared Open Space*
Community Garden
Composting Facility
Comprehensive Plan – *See Gresham Community Development Plan*
Condominium
Condominium Unit
Congregate Housing
Construction Contractor

Consulting Arborist – *See Arborist*
Continuing Care Retirement Community – *See Elderly Housing*
Corner Lot – *See Lot*
Cornice
Corridor Design District – *See Design District*
Cottage
Cottage Cluster
Court
Courtyard
Courtyard Development
Critical Root Zone – *See Tree Related Definitions, Section 3.0150*
Crosswalk
Crown Cover- *See Tree Related Definitions, Section 3.0150*
Curb Cut
Curb Ramp
Customer
Dangerous Tree – *See Overlay District Definitions, Section 3.0120*
Dead Tree – *See Tree*
Dead-End Street
Deciduous
Deciduous Tree – *See Tree*
Deck
Dedication
Density
Density, Net
Density Rounding
Design District

- Civic Neighborhood Design District
- Corridor Design District
- Downtown Design District
- Pleasant Valley Design District
- Rockwood Design District
- Springwater Design District

Design Guidelines

Design Principles

Design Standards

Design Storm

Design Streets

Detention

Development

Developable Area – *See Overlay District Definitions, Section 3.0120*

Development Permit

Development Site

Diameter Breast Height – *See Tree Related Definitions, Section 3.0150*

Digital Flood Insurance Rate Map (DFIRM)

Direct Illumination Sign – *See Signs*

Directional Sign – *See Signs*

Directional Signs, Institutional Campus – *See Signs*

District

Disturbance Area – *See Overlay District Definitions, Section 3.0120*

Double Frontage Lot – *See Lot*

Downtown Design District – *See Design District*

Dripline – *See Tree Related Definitions, Section 3.0150*

Drive-Through Use

Driveway

Driveway Approach

Driveway, Shared

Dwelling Unit

- Accessory Dwelling
- Cottage
- Duplex
- Manufactured Dwelling
- Multi-Family Dwelling
- Single Detached Dwelling
- Temporary Health Hardship Dwelling
- Townhouse
- Triplex
- Quadplex

Easement

Easement, General Utility

Easement, Public Access

Eco-Roof

Ecological Functions – *See Overlay District Definitions, Section 3.0120*

Elderly Housing

- Assisted Living Housing
- Congregate Housing
- Continuing Care Retirement Community
- Immediate Care Facility
- Skilled Nursing Facility (Nursing Home)

Electric Vehicle – *See Renewable Energy Related Definitions, Section 3.0140*

Electric Vehicle Charging Station – *See Renewable Energy Related Definitions, Section 3.0140*

Electric Vehicle Charging Unit – *See Renewable Energy Related Definitions, Section 3.0140*

Electrical Generating Facility

Electronic Message Center Sign – *See Signs*

Elevated Building

Emergency Shelter – *See Shelter*

Emissivity or Emittance

Employees

Entry

Entry, Primary

Environmental Technical Guidance Manual – *See Overlay District Definitions, Section 3.0120.*

Erosion

Erosion and Sediment Control

Erosion Prevention and Sediment Control Manual

Erosion Prevention and Sediment Control Plan

Evergreen

Evergreen Tree – *See Tree*

Exit

Façade

- Base
- Top

- Prominent Façade Sections

Face of a Building

Face Sign – *See Signs*

Fascia Sign – *See Signs*

Fast Food Service

Fence

Fill – *See Overlay District Definitions, Section 3.0120*

Findings

Fin Sign – *See Signs*

Flag Lot – *See Lot*

Flag Pole – *See Lot*

Flap Sign – *See Signs*

Flashing Illumination Sign – *See Signs*

Fleet Vehicle – *See Motor Vehicle*

Flood or Flooding

Flood Areas – *See Overlay District Definitions, Section 3.0120*

Flood, Base

Flood Insurance Rate Map (FIRM)

Flood Insurance Study

Flood Management Areas – *See Overlay District Definitions, Section 3.0120*

Flood Prone

Floodplain

Floor Area

Floor Area Ratio

Fore-Court

Food Carts

Food Cart Pod

Forestry Stewardship Council (FSC) Rating

Free-Standing Sign – *See Signs*

Front Lot Line – *See Lot Line*

Front Yard – *See Yard*

Frontage

Future Street Plan

Gable Roof – *See Roof*

Galleria

Garage

Geotechnical Engineer – *See Overlay District Definitions, Section 3.0120*

Grade

Green Development Practices

Green Street

Gresham Community Development Plan, or Community Development Plan

Gresham Development Plan Map

Grocery Store

Ground Floor

Groundcover

Grubbing

Habitable Floor

Habitat Tree – *See Tree*

Hardscape

Hazardous Tree – *See Tree*

Height Transition Area

Helicopter Trip

High Slope Subarea – *See Overlay District Definitions, Section 3.0120*

High Value Resource Area – *See Overlay Definitions, Section 3.0120*

Hipped Roof – *See Roof*

Historic and Cultural Landmark

- Class 1 Historic and Cultural Landmarks
- Class 2 Historic and Cultural Landmarks

Hogan Cedar Tree – *See Tree*

Home Occupation

Hotel

Housing, Affordable

Hydrological Unit Codes – *See Overlay District Definitions, Section 3.0120*

Illumination Awning Sign – *See Signs*

Immediate Care Facility – *See Elderly Housing*

Imminent Hazard Tree – *See Tree*

Indirect Illumination Sign – *See Signs*

Infiltration or Stormwater Infiltration

Installation Sign – *See Signs*

Institutional Campus

Institutional Master Plan

Intent

Interior Lot – *See Lot*

Internal Illumination Sign – *See Signs*

Internal Signs, Institutional Campus – *See Signs*

Invasive Vegetation – *See Overlay District Definitions, Section 3.0120*

Irregular Shaped Lot – *See Lot*

Joint Development

Kitchen

Laboratories/Research and Development Facilities

Land Division

Landing

Landscape Tree – *See Tree*

Landscaping

- Parking Area Landscaping

Landslide – *See Overlay Definitions, Section 3.0120*

LEED™

Legal Description of Property Description

Level of Service (LOS)

Light Cut-Off

Liner Space

Lintel

Local Review

Lot

- Corner Lot
- Double Frontage lot
- Flag Lot
- Interior Lot
- Irregular Shaped Lot
- Middle Housing Lot
- Parent Parcel or Parent Lot
- Rectilinear Lot
- Subdivision Lot

Lot Depth

Lot Line

- Front Lot Line
- Rear Lot Line
- Side Lot Line
- Zero-Lot Line

Lot Line Adjustment

Lot of Record

Lot Width

Lowest Floor

Main Entry or Entrance

Maintain

Major Tree – *See Tree*

Maintenance Sign – *See Signs*

Manager

Mansard Roof – *See Roof*

Mansard Wall Sign – *See Signs*

Manufactured Dwelling

Marijuana Business

Market Area

Marquee Sign – *See Signs*

Massing, Building

Master Plan

Medallion

Micro/Mini Wireless Communication Facility (WCF)

Middle Housing

Mitigation – *See Overlay District Definitions, Section 3.0120*

Mixed-Use Development

Model Home

Monument Sign – *See Signs*

Motor Vehicle

- Fleet Vehicle
- Passenger Vehicle
- Truck

Mulch

Mullion – *See Window Mullion*

Munton
 Mural
 Multi-Business Complex Sign – *See Signs*
 Native Tree – *See Tree*
 Native Vegetation – *See Overlay District Definitions, Section 3.0120*
 Natural State
 Needed Housing – *See Housing, Needed*
 Neighborhood Activity Center
 New Construction
 Non-Conforming Development
 Non-Conforming Sign – *See Signs*
 Non-Conforming Use
 Non-Native Tree – *See Tree*
 Northern Lot Line – *See Lot Line*
 Nuisance
 Occupied Space
 Offices
 On-Site Directional Sign – *See Signs*
 On-Site Stormwater Management
 Ordinary High-Water Mark – *See Overlay District Definitions, Section 3.0120*
 Ornamental Tree – *See Tree*
 Other Waters – *See Overlay District Definitions, Section 3.0120*
 Outdoor Advertising Sign – *See Signs*
 Outdoor Area
 Outdoor Sales Display
 Outdoor Storage
 Owner
 Painted Highlights Sign – *See Signs*
 Painted Wall Decoration Sign – *See Signs*
 Painted Wall Sign – *See Signs*
 Parapet or Parapet Wall
 Parcel
 Parking Lot Tree – *See Tree*
 Partition Parcel
 Parent Parcel or Parent Lot – *See Lot*
 Park and Ride Facility
 Parking Lots
 Parking Module
 Parking Space
 Parking Structure
 Partition Land
 Passenger Vehicle – *See Motor Vehicle*
 Pedestrian Facilities
 Pennant Sign – *See Signs*
 Perennial (or Perennial Plant)
 Perimeter Tree – *See Tree*
 Permanent Disturbance Area – *See Overlay District Definitions, Section 3.0120*
 Permanent Sign – *See Signs*
 Person
 Pervious (Porous) Pavement
 Phased Development Project
 Photovoltaic Panel – *See Renewable Energy Related Definitions, Section 3.0140*
 Planned Development
 Planter Strip
 Plat
 Plaza
 Pleasant Valley Design District – *See Design District*
 Plinth
 Porch
 Portable Sign – *See Signs*
 Portico
 Potential Resource Area – *See Overlay District Definitions, Section 3.0120*
 Premises
 Practicable – *See Overlay District Definitions, Section 3.0120*
 Primary Building Entrance/Entry
 Primary Internal Drive
 Primary Street

Principal Building

Principal Use, Primary Use

Private Open Space

Private Public Property Interface – *See Overlay District Definitions, Section 3.0120*

Project

Projecting Sign – *See Signs*

Pruning – *See Tree Related Definitions, Section 3.0150*

Public Body

Public Community Park

Public Connector Path

Public Neighborhood Park

Public Path

Public Open Space

Public Place

Public Trail

Public Trail Access Points

Public Trailheads

Public Urban Plaza

Public Use Areas

Public Works Standards

Publicly Accessible Open Space

Qualified Arborist – *See Arborist*

Qualifying Application – *See Application, Qualifying*

Radio

Radio Frequency (RF) Energy

Radio Frequency (RF) Facility

Rain Garden

Readerboard Sign – *See Signs*

Rear Lot Line – *See Lot Line*

Rear Yard – *See Yard*

Receive-Only Antenna

Rectilinear Lot – *See Lot*

Redemption Center

Redevelopment

Reflectivity or Reflectance

Registered Child Care Facility

Registered Consulting Arborist, *See Arborist*

Regulated Tree – *See Tree*

Regulatory Floodway

Remodel

Renewable Energy Systems – *See Renewable Energy Related Definitions, Section 3.0140*

Repair Sign – *See Signs*

Required Tree – *See Tree*

Reservation Line

Residential Facility

Residential Home

Residential Use

Residentially Designated Land

Restaurant

Restoration – *See Overlay District Definitions, Section 3.0120*

Revegetation

Right-of-Way

Riparian – *See Overlay District Definitions, Section 3.0120*

Rockwood Design District – *See Design District*

Roof

- Butterfly Roof
- Gable Roof
- Hipped Roof
- Mansard Roof
- Shed Roof

Roof Sign – *See Signs*

Roof Line Sign – *See Signs*

Rotating Sign – *See Signs*

Routine Repair and Maintenance – *See Overlay District Definitions, Section 3.0120*

Same Ownership

Scoring

School, Commercial

Service Station

Setback

Severe Crown Reduction – *See Tree Related Definitions, Section 3.0150*

Shade Tree – *See Tree*

Shared Housing Facility

Shared Open Space

Shed Roof – *See Roof*

Shelter or Emergency Shelter

Shrub

Side Lot Line – *See Lot Line*

Sidewalk

Side Yard – *See Yard*

Significant Tree, Significant Grove – *See Tree*

Signs

- A-Board Sign
- Abandoned Sign
- Animated Sign
- Awning Sign
- Illuminated Awning Sign
- Balloon Sign
- Banner Sign
- Bench Sign
- Direct Illumination Sign
- Directional Sign
- Directional Signs, Institutional Campus
- Electronic Message Center Sign
- Face Sign
- Fascia Sign
- Fin Sign
- Flap Sign
- Flashing Illumination Sign
- Free-Standing Sign
- Indirect Illumination Sign
- Installation Sign
- Internal Illumination Sign
- Internal Signs, Institutional Campus
- Maintenance Sign
- Mansard Wall Sign
- Marquee Sign
- Monument Sign
- Multi-Business Complex Sign
- Non-Conforming Sign

- On-Site Directory Sign
- Outdoor Advertising Sign
- Painted Highlights Sign
- Painted Wall Decoration Sign
- Painted Wall Sign
- Pennant Sign
- Permanent Sign
- Portable Sign
- Projecting Sign
- Readerboard Sign
- Repair, Sign
- Roof Sign
- Roof Line Sign
- Rotating Sign
- Special Event Banner Sign
- Structural Alteration Sign
- Structure Sign
- Temporary Lawn Sign
- Temporary Rigid Sign
- Temporary Sign
- Under Marquee Sign
- Unsafe Sign
- Wind Sign
- Window Sign, Inside
- Window Sign, Outside

Single Detached Dwelling – *See Dwelling Unit*

Single Room Occupancy (SRO) Housing

Site

Site Area, Gross

Site Area, Net

Site Plan

Site Tree – *See Tree*

Skilled Nursing Facility – *See Elderly Housing*

Slope, Cross

Slope, Running

Solar Energy System – *See Renewable Energy Related Definitions, Section 3.0140*

Solar Reflective Index (SRI) – *See Renewable Energy Related Definitions, Section 3.0140*

Solar Water Heating System – *See Renewable Energy Related Definitions, Section 3.0140*

Spandrel Glass

Special Event Banner Sign – *See Signs*

Springwater Design District – *See Design District*

Stand – *See Tree Related Definitions, Section 3.0150*

Start of Construction

Storefront Window

Stormwater Filtration

Stormwater Management Manual

Stormwater Planter

Stormwater Report

Stormwater Runoff

Stormwater Treatment

Stormwater Treatment Facility

Story

Story, First

Stream – *See Overlay District Definitions, Section 3.0120*

Street, Road or Highway

Street Tree – *See Tree*

Structural Alteration Sign – *See Signs*

Structural Sign – *See Signs*

Structural Soil

Structure

Structure, Accessory

Stucco

Subdivide Land

Subdivision Lot – *See Lot*

Substantial Damage

Substantial Improvement

Sun Screen/Sun Shade

Temporary Disturbance Area – *See Overlay District Definitions, Section 3.0120*

Temporary Health Hardship Dwelling – *See Dwelling Unit*

Temporary Lawn Sign – *See Signs*

Temporary Rigid Sign – *See Signs*

Temporary Sign – *See Signs*

Tenant

Tentative Plan

Theme Park

Title 3 Wetland – *See Overlay District Definitions, Section 3.0120*

Top – *See Façade*

Townhouse Project

Townhouse Style

Tract

Transit Facility

Transit Streets and Routes

Transit Supportive Use

Transitional Housing

Transitional Housing for Formerly Incarcerated Individuals

Transitional Setback Space

Transitway

Transom Window

Transportation Facility

Tree

- Buffer Tree
- Canopy Tree – *See Shade Tree*
- Dangerous Tree – *See Overlay District Definitions, Section 3.0120*
- Dead Tree
- Deciduous Tree
- Evergreen Tree
- Habitat Tree
- Hazardous Tree
- Hogan Cedar Tree
- Imminent Hazard Tree
- Landscape Tree
- Major Tree
- Native Tree
- Non-Native Tree
- Ornamental Tree
- Parking Lot Tree
- Perimeter Tree
- Regulated Tree

- Required Tree
- Shade Tree
- Significant Tree, Significant Grove
- Site Tree
- Street Tree
- Tree Caliper
- Tree Head Height

Tree Caliper – *See Tree*

Tree Head Height – *See Tree*

Tree Protection Plan – *See Tree Related Definitions, Section 3.0150*

Tree Removal - *See Tree Related Definitions, Section 3.0150*

Tree Survey – *See Tree Related Definitions, Section 3.0150*

Tree Topping - *See Tree Related Definitions, Section 3.0150*

Tree Well - *See Tree Related Definitions, Section 3.0150*

Truck – *See Motor Vehicle*

Underground Injection Control System

Under Marquee Sign – *See Signs*

Unsafe Sign – *See Signs*

Urban Development Value – *See Overlay District Definitions, Section 3.0120*

Urban Services

Use, Accessory

Use, Change of

Utility Facilities – *See Overlay District Definitions, Section 3.0120*

Variance

Vehicle, Recreation

Vehicle Repair

Vehicle Sales and/or Rental Lot

Vehicular Way

Visible

Visible Transmittance

Walkway

Wall

Water Dependent – *See Overlay District Definitions, Section 3.0120*

Water Feature – *See Overlay District Definitions, Section 3.0120*

Water Quality Resource Area – *See Overlay District Definitions, Section 3.0120*

Waters of the State – *See Overlay District Definitions, Section 3.0120*

Watershed – *See Overlay District Definitions, Section 3.0120*

Wet Weather Season

Wetland

Wind Sign – *See Signs*

Window Mullion

Window Sign, Inside – *See Signs*

Window Sign, Outside – *See Signs*

Wireless Communication Facility Tower or WCF Tower

Woody Debris – *See Overlay District Definitions, Section 3.0120*

Woody Debris Stockpiling – *See Overlay District Definitions, Section 3.0120*

Xeriscaping

Yard

- Front Yard
- Rear Year
- Side Yard

Zero Lot Line – *See Lot Line*

Overlay District Terms

Aquatic Habitat

Areal Cover

Basement

Below-Grade Crawl Spaces

Building Footprint

Certified Engineering Geologist

Critical Facility

Development

Developable Area

Disturbance Area

- Permanent Disturbance Area
- Temporary Disturbance Area

Ecological Functions (or Functions)

Environmental Technical Guidance Manual

Fill

Flood Areas

Flood Management Areas

Floodplain

Geotechnical Engineer

High Slope Subarea

High Value Resource Area

Hydrologic Unit Codes

Invasive Vegetation

Landslide

Mitigation

Native Vegetation

Ordinary High-Water Mark

Other Waters

Potential Resource Area

Practicable

Private Public Property Interface

Recreational Vehicle

Restoration

Riparian

Routine Repair and Maintenance

Stream

Structure

Subsidized Rates

Substantial Improvement

Title 3 Wetland

Utility Facilities

- Linear Utility Facilities
- Non-Linear Utility Facilities

Water Dependent

Waters of the State

Watershed

Woody Debris

- Course Woody Debris
- Woody Debris Stockpiling
- Large Woody Debris Placement

Renewable Energy Related Terms

Battery Charging Station

Battery Charging Unit

Battery Exchange Station

Biogas

Blade

Electric Vehicle

Electric Vehicle Charging Station

Electric Vehicle Charging Unit

Photovoltaic Panel

Renewable Energy Systems

Solar Energy System

Solar Reflective Index (SRI)

Solar Water Heating System

Tree Related Terms

Clear Cutting	Tree Protection Plan
Critical Root Zone	Tree Protection Zone
Crown Cover	Tree Removal
Diameter Breast Height	Tree Survey
Dripline	Tree Topping
Pruning	Tree Well
Severe Crown Reduction	Urban Forest
Stand	

Temporary, Intermittent and Interim Uses Terms

Agricultural Products Sales	Mobile Unit
Christmas Tree Sales	Real Estate Sales Office
Commercial Stand	Special Event
Farmers' Markets	Temporary Commercial, Institutional or Industrial Building
Film Production Studios and Trailers	Temporary Dwelling
Fireworks Sales	Warming/Cooling Shelter
Intermittent Lodging	

3.0103 GENERAL TERMS AND DEFINITIONS

A-Board Sign. *See Signs.*

Abandoned Sign. *See Signs.*

Abut. Contiguous to; adjoining with a common boundary line.

Access. The place, means, or way by which pedestrians, vehicles or both shall have safe, adequate and usable ingress and egress to a property or use. A private access is an access not in public ownership or control by means of deed, dedication or easement.

Access Aisle. An accessible pedestrian space between elements, such as parking spaces, seating and desks, that provides clearances appropriate for use of the elements.

Accessory Dwelling. *See Dwelling Unit.*

Accessory Structure. *See Structure, Accessory.*

Accessory Use. *See Use, Accessory.*

Acreage, Net. The area proposed for development measured to the property lines of the parcel(s) or development site boundary or lot after all deductions are made. Deductions include the area of streets, existing and proposed common easements for access, and new street dedications.

Adjacent. Contiguous to a common boundary line or across an adjoining right-of-way. For example, an Industrial District across the street from a Residential District shall be considered as "adjacent."

Adjustments. Modifications and reductions or additions to code standards which do not include variances.

Affordable Housing. *See Housing, Affordable.*

Agriculture. A commercial enterprise that consists of farming, including plowing, cropping, seeding, cultivating or harvesting for the production of food or fiber products; the grazing and raising of livestock; aquaculture, sod production, orchards, nurseries, and the cultivation of products. Home Occupations are not included in this definition.

Alteration. An "alteration" may be a change in construction or a change of occupancy. Where the term "alteration" is applied to a change of construction, it is intended to apply to any change, addition, or modification in construction. When the term is used in connection with a change of occupancy, it is intended to apply to changes of occupancy from one trade or use to another or from one division of trade or use to another.

Alteration, Structural. Any change or repair to the supporting members of a building or structure, such as alteration of bearing walls, foundation, columns, beams or girders. In addition, any change in the external dimensions of the building shall be considered a structural alteration.

Amateur ("Ham") Radio. Radio facilities operated for non-commercial purposes by licensed individuals interested in the construction and operation of radio equipment, usually as a hobby or avocation.

Amenity Zone. The area beginning at the back of the curb or outside edge of the street shoulder and extending to the property line, lying within the public right-of-way or on publicly owned property or in an easement. This area typically can include a planter strip with landscape plantings, street trees, and/or site furnishings like benches and lighting.

Animated Sign. *See Signs.*

Antenna. A structure designed for transmitting signals to a receiver or receiving station or for receiving television, radio, data, communication, or other signals from other antennas, satellites, or other transmission facilities.

Antenna Support Structure. A tower, pole, mast, buildings supporting existing Wireless Communication Facilities, or other structure that is intended to support an antenna.

Apartment. Any building or portion thereof located on a single lot which is designed or built, rented or leased, and occupied as residence of three or more families, living and cooking independently of each other

Applicant. A person submitting an application for development, a permit, or other required approval under the Code. "Applicant" includes the owner of the property subject to the application and any person designated by the owner to represent the owner, including a developer.

Application, Qualifying. An application for multi-family housing that shall be decided upon pursuant to **Section 11.0402, Section 11.0502, Section 11.0903** and **Section 11.1013** that is characterized by:

1. Five or more new dwelling units in a building, and

2. At least 50 percent of the multi-family units being affordable to households with incomes at or below 60 percent of median family income in Multnomah County or the State of Oregon (whichever is greater), and
3. A covenant appurtenant that restricts the owner and each successive owner of the development or residential unit within the development from selling or renting any unit described in 2. above as housing that is not affordable housing for a period of 60 years from the date of the certificate of occupancy.

Approved Tree List. Trees approved by the City for the available planting space for required Street Trees, Parking Lot Trees and Buffer Trees.

Aquatic Habitat. *See Overlay District Definitions, Section 3.0120.*

Arboriculture. The care and maintenance of trees.

Arborist. A person possessing the education and technical competence through experience and related training to provide for or supervise the management of trees in a landscape setting.

- **Certified Arborist.** An individual who is certified as an arborist by the International Society of Arboriculture (ISA) with a current and active ISA certification number. A Certified Arborist will agree in writing to perform all work in accordance with ANSI A300 standards such as pruning, treating or removing trees.
- **Consulting Arborist.** A professional in arboriculture who is a member of the American Society of Consulting Arborists (ASCA) or International Society of Arboriculture (ISA) and is qualified to bring a comprehensive, objective viewpoint to the diagnosis, appraisal, and evaluation of arboricultural issues.

Arcade. A covered pedestrian passageway or walkway, especially one lined with shops or store fronts; an arcade may be completely enclosed, partially enclosed, or an open-air walkway. The arcade must be accessible for public circulation purposes.

Archaeological Object. An object that is at least 75 years old; comprises the physical record of an indigenous and subsequent culture; and is material remains of past human life or activity that are of archaeological significance including, but not limited to, monuments, symbols, tools, facilities, technological by-products, and dietary by-products.

Archaeological Site. A geographic locality, including but not limited to submerged and submersible lands, that contains archaeological objects and the contextual associations of the archaeological objects with each other, or biotic or geological remains or deposits.

Archaeologist. A person having the following qualifications:

1. A post-graduate degree in archaeology, anthropology, history, classics or other germane discipline with a specialization in archaeology or a documented equivalency of such a degree;
2. Twelve weeks of supervised experience in basic archaeological field research, including both survey and excavation and four weeks of laboratory analysis or curating; and
3. Has designed and executed an archaeological study, as evidenced by a Master of Arts or Master of Science thesis, or report equivalent in scope and quality, dealing with archaeological field research.

Area of Shallow Flooding. A designated AO, AH, AR/AO, AR/AH, or VO zone on a community's Flood Insurance Rate Map (FIRM) with a 1 percent or greater annual chance of flooding to an average depth of 1 to 3 feet where a clearly defined channel does not exist, where the path of flooding is unpredictable, and where velocity flow may be evident. Such flooding is characterized by ponding or sheet flow.

Area of Special Flood Hazard. The land in the flood plain within a community subject to a one percent or greater chance of flooding in any given year. The area may be designated as Zone A on the Flood Hazard Boundary Map (FHBM). After detailed ratemaking has been completed in preparation for publication of the flood insurance rate map, Zone A usually is refined into Zones A, AO, AH, A1-30, AE, A99, AR, AR/A1-30, AR/AE, AR/AO, AR/AH, AR/A, VO, or V1-30, VE or V. For purposes of these regulations, the term "special flood hazard area" is synonymous in meaning with the phrase "area of special flood hazard."

Assisted Living Housing. *See Elderly Housing.*

Awning. A shelter that provides weather protection, usually constructed of non-rigid canvas or canvas-like materials on a supporting framework that projects from the exterior wall of a building.

Awning Sign. *See Signs.*

Balcony. An exterior floor projecting from and supported by a structure without additional independent supports and is surrounded by a railing or balustrade.

Balloon Sign. *See Signs.*

Balustrade. A railing with its supporting balusters or decorative railing posts at the side of a staircase or balcony.

Banner Sign. *See Signs.*

Base. *See Façade.*

Basement. A space wholly or partly underground and having more than one-half (1/2) of its height, measured from its floor to its ceiling, below the average adjoining finished grade. *See also Overlay District Definitions, Section 3.0120* for specific applications of this term in those areas.

Battery Charging Station. *See Renewable Energy Related Definitions, Section 3.0140.*

Battery Charging Unit. *See Renewable Energy Related Definitions, Section 3.0140.*

Battery Exchange Station. *See Renewable Energy Related Definitions, Section 3.0140.*

Bay (of building façade). Any division of a building between vertical lines or planes, especially the entire space between two adjacent supports.

Bedroom. A room in a dwelling unit designed in accordance with the Building Code to provide sleeping accommodations. Each bedroom shall have at least 35 square feet of floor area per bed. Every two beds shall equal one bedroom.

Bench Sign. *See Signs.*

Berm. An earthen mound with landscaping designed to provide visual interest, screen undesirable views, provide drainage, and/or decrease noise.

Biogas. *See Renewable Energy Related Definitions, Section 3.0140.*

Blade. See *Renewable Energy Related Definitions, Section 3.0140.*

Block. A parcel of land bounded by streets, railroad rights-of-way, parks, unsubdivided acreage, or a combination thereof.

Buffer. An area abutting the property line intended to provide separation between uses that reduces the impacts on adjacent uses. The horizontal distance may include screening and landscaping such as trees, shrubs, ground cover, fences, walls and berms.

Buffer Tree. See *Tree.*

Building. Any structure with a roof built for the support, shelter or enclosure of persons, animals, chattels, or property of any kind. See also *“Structure.”*

Buildable Area or Building Envelope. The area of a lot, exclusive of setbacks, easements and other restrictions, where buildings may be constructed.


Building Code. The City of Gresham Building Code as adopted in the Gresham Revised Code, Article 10.0500.

Building Code Accessible. A site, building, facility or portion thereof, that complies with the guidelines for accessibility in Chapter XI of the Building Code.


Building Coverage. That percentage of the total lot area covered by buildings, including covered parking areas.

Building Footprint. The total area of the building ground floor measured from the exterior faces of the building. See also *Section 3.0120 for Building Footprint as it applies to Overlay Districts.*

Building Height. The vertical distance from the average elevation of the finished grade to the highest point of the structure (see also *“Grade”*).



Building Line. A line parallel to the front lot line and passing through the most forward point or plane of a building.



Bulkhead. The solid portion of wall below the glass of a storefront window whose purpose is to protect against abrasion or impact loads. The bulkhead is also commonly referred to as a knee-wall.

Butterfly Roof. *See Roof.*

Canopy. An architectural projection that provides weather protection, identity or decoration and is supported by the building to which it is attached. A canopy is comprised of a rigid structure over which a rigid covering is attached. *See also "Sun Screen/Sun Shade."*

Carpool/Vanpool Parking. A parking space for a vehicle with two or more riders.

Carport. A roofed structure open on at least two sides, designed for or occupied by private passenger vehicles. Carports shall not include structured parking. *See also "Garage."*

Ceiling Height. The clear vertical distance from the finished floor to the finished ceiling.

Centralized Stormwater Management Facilities. Stormwater management facilities designed to detain stormwater from large areas. Centralized Facilities provide stormwater detention for large storm events that exceed the capacity of On-Site Green Development Practices. They work in conjunction with Green Development Practices and Green Streets to manage stormwater in a comprehensive way to best mimic predevelopment hydrology. Design standards and requirements for regional management facilities are included in the City of Gresham's Stormwater Management Manual.

Certified Arborist. *See Arborist.*

Certified Child Care Facility. In-home childcare for not more than 16 children and certified by the Child Care Division of the State of Oregon.

Certified Engineering Geologist. *See Overlay District Definitions, Section 3.0120*

Change of Use. *See Use, Change of.*

Children's Play Equipment. A manufactured play structure on public or private land that is of commercial quality.

Citizen Band (CB) Radio. Two-way radio facilities operated for short-range personal and business communication at low power levels (15 W PEP TPO maximum) in the 27-megahertz (11 meter) band, without necessity of federal license, pursuant to 47 CFR Part 95.

City. The City of Gresham.

Civic Neighborhood Design District. *See Design District.*

Clear Cutting. *See Tree Related Definitions, Section 3.0150.*

Clear Vision Area. A triangular area at the intersection of a street with another street, public path, railroad, or driveway restricting sight obstructions in the right of way as well as on private property. The purpose of the area is to provide drivers, bicyclists, and pedestrians with an unobstructed cross-view for purposes of traffic safety.

Clearing. The act of removing vegetation or an existing impervious surface, such as but not limited to asphalt, concrete or buildings, so that bare earth or other surface that could potentially erode is exposed to the elements.

Coarse Woody Debris. *See Overlay District Definitions. Section 3.0120*

Co-locate. The mounting or installation of antennas and/or associated equipment on an existing antenna support structure.

Commercial Development. Offices and clinics; retail trade establishments engaged in selling goods or merchandise to the general public for personal or household consumption; retail services establishments providing services or entertainment to the general public such as eating and drinking places, hotels, banks, theater; business establishments engaged in rendering services to other businesses on a fee or contract basis, such as advertising, data processing, employment services, and consulting services.

Common Wall. A wall jointly used by two or more parties and separating dwelling units. Unless otherwise stated, a shared floor/ceiling is also a common wall.

Community Garden. A garden in which any kind of plant is grown for personal use or donation, and several individuals or households garden assigned plots. The land may be publicly owned or may be privately owned, such as by a religious institution or a medical center.

Composting Facility. A facility where organic matter that is derived primarily from off-site is to be processed by composting and/or is processed for commercial purposes. Activities of a composting facility may include management, collection, transportation, staging, composting, curing, storage, marketing, or use of compost.

Comprehensive Plan. *See Gresham Community Development Plan.*

Condominium. Any building containing one or more units which is: a) subject to a declaration filed pursuant to ORS 100.005 to 100.990 and; b) in which there is a private ownership of individual units and common ownership of common areas.

Condominium Unit. Any individually owned unit in a condominium.

Congregate Housing. Housing in which each adult resident has a private or shared bedroom or living quarters and shares with other adult residents a dining room, recreational room, and other common areas (ORS 443.480(3)).

Construction Contractor. A general contractor or builder engaged in the construction of buildings or components of buildings, as well as heavy construction contractors engaged in activities such as paving, highway construction and utility construction. This use may include inside or outside storage of materials and equipment.

Consulting Arborist. *See Arborist.*

Continuing Care Retirement Community. *See Elderly Housing.*

Corner Lot. *See Lot.*

Cornice. The uppermost section of projecting moldings along the top of a building just below a roof or the top of a wall.

Corridor Design District. *See Design District.*

Cottage. *See Dwelling.*

Cottage Cluster. A grouping of cottages, located on a single lot or parcel that includes a common courtyard. Cottage cluster may also be known as “garden court,” “cluster housing,” “cottage housing,” “bungalow court,” “cottage court,” or “pocket neighborhood.”

Court. An open, unoccupied space extending not more than 24 inches below finish grade and bounded on two or more sides by the walls of the building. An inner court is a court entirely within the exterior walls of a building. All other courts are outer courts.

Courtyard. An open and uncovered space that is typically landscaped and includes walkways and lawn or garden ornamentations, is pedestrian friendly, is either enclosed or bordered on at least three sides by a building or buildings and is at grade with said building(s). Courtyards are generally larger and more multifunctional than courts (*See also “Court”*).

Courtyard Development. A development consisting of a single building or multiple buildings that border an open area, court, or courtyard, on three or more sides. The courtyard area may or may not be open to the street and is generally landscaped and includes walkways but does not include parking areas or vehicle access ways. Courtyard developments may contain attached housing (including but not limited to multi-family, townhouses and other middle housing), elderly housing, commercial, institutional, or mixed-uses.

Critical Root Zone. *See Tree Related Definitions, Section 3.0150.*

Crosswalk. A portion of the public right-of-way or private drive or roadway used primarily for pedestrian travel through or across any portion of a transportation facility.

Crown Cover. *See Tree Related Definitions, Section 3.0150.*

Curb Cut. The entire variation from curb grade, including driveway approach and the area of transition from the sidewalk and curb grades to the driveway approach ramp grades.

Curb Ramp. An area, typically part of a pedestrian accessible route, designed to transition non-vehicular traffic from one elevation to another, such as sidewalk transitions to street crossings.

Customer. An individual who purchases, or is looking to purchase, goods and/or services for themselves, family members, or others. For home occupations, customer visits shall be measured in terms of trips per day.

Dead-End Street. A street or series of streets which can be accessed from a single street. Dead-end streets can be either temporary (intended for future extension as part of a future street plan) or permanent.

Deciduous. A plant with foliage that is shed annually.

Deck. An exterior floor system supported on at least two opposing sides by an adjoining structure and/or posts, piers, or other independent supports.

Dedication. The designation or transfer of land by its owner for any general or public use.

Density. The density for any lot is computed by dividing the number of dwelling units by the parcel acreage or, if specified, net acreage.

- **Accessory Dwellings.** Accessory dwellings do not count toward density requirements in LDR-5, LDR-7, TR, TLDR, LDR-PV, VLDR-SW and LDR-SW. Accessory dwellings count toward minimum density but not maximum density requirements in all other districts.
- **Middle Housing.** Duplex, Triplex, Quadplex, and Cottage Cluster units count toward minimum density but not maximum density in VLDR-SW, LDR-GB, LDR-7, LDR-5, LDR-PV, LDR-SW, TR, DRL-1, DRL-2, TLDR, MDR-12, MDR-PV, OFR, and that portion of CMF along the NE Glisan and NE 162nd Avenue corridors. Middle Housing counts toward minimum and maximum density requirements in all other districts.

Density, Net. The net density for any lot is computed by dividing the number of dwelling units by the quotient of the net square footage of the parcel divided by 43,560. The equation for units per acre is:

$$\text{Net Density} = \text{Units} \div (\text{Net Square Footage} \div 43,560)$$

To calculate net square footage, the following are subtracted for areas in LDR-5, LDR-7, LDR-PV, LDRSW, VLDR-SW, TLDR and TR:

- When calculating minimum density: Natural Resource Overlay, Hillside and Geologic Risk Overlay, areas encumbered by Natural Resource or Hillside Easements; square footage dedicated to public streets, private accessways, the flag pole portion of a flag lot, and the portion of non-standard lots encumbered by an access easement.
- When calculating maximum density: High Slope Subarea, square footage dedicated to public streets, private accessways, the flag pole portion of a flag lot, and the portion of nonstandard lots encumbered by an access easement.

To calculate net square footage, the following are subtracted for areas not in LDR-5, LDR-7, LDR-PV, LDR-SW, VLDR-SW, TLDR and TR:

- When calculating minimum density: Natural Resource Overlay, Hillside and Geologic Risk Overlay, areas encumbered by Natural Resource or Hillside Easements; and square footage dedicated to public streets.
- When calculating maximum density: Square footage dedicated to public streets.

The land area dedicated without compensation for the widening or the extension of a public street may, at the applicant's discretion, be included in calculating the minimum and maximum number of attached dwelling units on a single lot permitted on land not in LDR-5, LDR-7, LDR-PV, LDR-SW, VLDR-SW, TR or TLDR.

For mixed-use developments in areas with a minimum residential density requirement and a minimum commercial floor area ratio (FAR) requirement, the minimum requirements shall be satisfied in accordance with the formula in **Section 4.1231(B)**.

Shared Housing Facilities are subject to the same minimum and maximum residential density standards as required for Multi-family development in the land use district.

Density Rounding. A method to determine the whole number of units permitted in a development. Rounding for total units allowed is done in the following manner:

- **Minimum density:** To determine the number of units permitted, the results of a calculation for the minimum number of units allowed shall be rounded down to the nearest whole number. For example, if a calculation results in 4.8 units, the minimum number of units required would be 4.
- **Maximum density:** To determine the number of units permitted, the results of a calculation for the maximum number of units allowed shall be rounded down for a decimal that is less than 0.50 and rounded up for a decimal 0.50 or greater. For example, if a calculation resulted in 4.45 units, the maximum number of units allowed would be 4. If a calculation resulted in 4.55 units, the maximum number of units allowed would be 5.

Design District. A clearly defined special design area with guidelines and standards for development activity. Design Districts can be used to ensure the conservation, continuity, enhancement, and continued vitality of the identified scenic, architectural, and cultural values of each design district and to promote quality development in centers, near transit facilities, and similar areas. Six initial design districts are generally described as:

- **Civic Neighborhood Design District.** All of the Civic Neighborhood Plan District (CNPD) lands as described in **Section 4.1200**. This area generally encompasses properties between Wallula on the west, Burnside to the north, Eastman on the east, and Division to the south, including both sides of Division at the intersection of Division and Eastman.
- **Corridor Design District.** Those corridor districts -- Corridor Multi-Family (CMF); Corridor Mixed-Use (CMU); Moderate Commercial (MC) and Community Commercial (CC); and those residential districts -- Moderate Density Residential-12 (MDR-12), Moderate Density Residential-24 (MDR-24) and Office/Residential District (OFR) -- that are not included in another Design District.
- **Downtown Design District.** All of the Downtown Plan District (DPD) lands as described in **Section 4.1100**. This area generally encompasses properties between Eastman on the west, Hogan on the east, both sides of Burnside to the north and both sides of Powell to the south.
- **Pleasant Valley Design District.** Generally, the Pleasant Valley Town Center (TC-PV) and the Medium Density Residential-Pleasant Valley (MDR-PV) and High Density Residential-Pleasant Valley (HDR-PV).
- **Rockwood Design District.** Generally, the Rockwood Town Center (RTC) lands and the Station Center (SC) lands along the MAX line from the west City limits to Birdsdales including the Station Center-Ruby Junction (SC-RJ) lands.
- **Springwater Design District.** Generally, the Springwater Village Center (VC-SW) and the abutting Townhouse Residential (THR-SW) land to the east of the VC-SW.

Design Guidelines. A set of design parameters for development in design districts that are based on the established design principles. The design guidelines are discretionary in nature and are used to evaluate the acceptability of a project's design. Design guidelines provide the opportunity for creative design flexibility.

Design Principles. General statements that will guide the design of the built environment in design districts. They are the connection between general planning goals and policies and implementing design guidelines and standards.

Design Standards. A set of objective requirements for development in design districts that are based on design principles. Design standards provide a clear and objective way of evaluating the acceptability of a project's design.

Design Storm. A rainfall event of a specified duration (e.g., 6-, 12-, 24-hour) and return frequency (e.g., 2-, 10-year) that is used to calculate the runoff volume and/or discharge rate to be used for design of stormwater systems.

Design Streets. Design Streets are designated on **Figure 7.0210** and are subject to special criteria and standards intended to help foster a pedestrian-friendly environment and effective transit access. They may be designated along transit streets or other streets with significant pedestrian activity.

Detention. The temporary storage of stormwater runoff to control peak discharge rates and/or provide gravity settling of sediment and other pollutants prior to discharge to the public stormwater system or natural drainage channel (e.g., stream).

Developable Area. *See Overlay District Definitions, Section 3.0120*

Development. Any human-made change to improved or unimproved real estate, including but not limited to construction, installation, or alteration of buildings or other structures; land division; establishment or termination of a right of access; storage on real property; tree removal; drilling; and site alteration such as that due to land surface mining, dredging, grading, paving, excavation, or clearing. *See also Overlay District Definitions, Section 3.0120 for specific applications of this term in those areas.*

Development Permit. A permit issued by the Manager for a development which is in compliance with the requirements of the Community Development Code and, if applicable, the Comprehensive Plan.

Development Site. The total area of a parcel(s) or lot(s) where development is proposed on a property or group of properties that may or may not be under the same ownership.

Diameter Breast Height. *See Tree Related Definitions, Section 3.0150.*

Digital Flood Insurance Rate Map (DFIRM). The official digital map on which the Federal Insurance Administration has delineated both the areas of special flood hazards and the risk premium zones applicable to the community.

Direct Illumination Sign. *See Signs.*

Directional Sign. *See Signs.*

Directional Signs, Institutional Campus. *See Signs.*

District. A portion of the territory of the City within which certain uniform regulations and requirements or various combinations thereof apply under the provisions of this ordinance.

Disturbance Area. *See Overlay District Definitions, Section 3.0120.*

Double Frontage Lot. *See Lot.*

Downtown Design District. *See Design District.*

Dripline. *See Tree Related Definitions, Section 3.0150*

Drive-Through Use. A drive-through use is a business activity involving buying or selling of goods or the provision of services where one of the parties conducts the activity from within a motor vehicle. Facilities usually associated with a drive through use are queuing lanes, service windows, and service islands for vehicular use.


Driveway (Drive). A private roadway providing access for vehicles to a parking space, garage, dwelling, or other structure.

Driveway Approach. The portion of the driveway which connects to a street and generally is within the public right-of-way. See also the Public Works Standards.

Driveway, Shared. A single driveway serving two or more lots.

Dwelling Unit. A building, or any portion thereof, providing complete, independent living facilities for one or more persons, including permanent provisions for living, sleeping, eating, cooking, and sanitation. A dwelling unit that contains more than eight (8) bedrooms is classified as a shared housing facility. Each of the following housing types is made up of one or more dwelling units.

- **Accessory Dwelling.** An attached or freestanding residential structure that is used in connection with, or that is accessory to, a single detached dwelling. An accessory dwelling functions as a complete, independent living facility with provisions within the unit for a separate kitchen, bathroom and sleeping area. Attached accessory dwellings may be interior to the primary dwelling; attached by a wall, ceiling, or floor; connected by a roof, breezeway, deck, or other structural connection; or above an attached garage. Freestanding accessory dwellings may be detached from other structures or attached to a residential accessory structure that is detached from the primary dwelling.
- **Cottage.** A detached dwelling unit with a footprint of less than 900 square feet that is part of a cottage cluster.
- **Duplex.** Two dwelling units on a lot or parcel. The dwellings may be attached or detached (i.e., may or may not share a common wall or common floor/ceiling). Middle housing duplex units that have been divided onto individual lots through a Middle Housing Land Division are considered a duplex.




- **Manufactured Dwelling.** A dwelling unit constructed off of the site which can be moved on the public roadways. Manufactured dwellings include residential trailers, mobile homes, and manufactured homes per ORS 446.003. Manufactured Dwelling does not include any building or structure constructed to conform to the State of Oregon Structural Specialty Code, the Low-Rise Residential Dwelling Code or the Small Home Specialty Code. A Manufactured Dwelling is one of the following:

1. **Manufactured Home.** A manufactured home is a manufactured dwelling constructed after June 15, 1976, in accordance with federal manufactured housing construction and safety standards (HUD code) in effect at the time of construction.
2. **Mobile Home.** A mobile home is a manufactured dwelling constructed between January 1, 1962, and June 15, 1976, in accordance with the construction requirements of Oregon mobile home law in effect at the time of construction.
3. **Residential Trailer.** A residential trailer is a manufactured dwelling constructed before January 1, 1962, which was not constructed in accordance with federal manufactured housing construction and safety standards (HUD code), or the construction requirements of Oregon mobile home law.

See also *Overlay District Definitions, Section 3.0120* for specific applications of this term in those areas.


- **Multi-Family Dwelling.** A structure or grouping of structures containing five or more dwelling units on a single lot. The land underneath the structures is not divided into separate lots. Five or more dwelling units on the same lot as, and sharing a common wall with, commercial uses are also multi-family dwellings. Multi-Family dwellings are not middle housing.
- **Single Detached Dwelling.** A detached structure on a lot or parcel that is comprised of a single dwelling unit. Single Detached Dwellings may be constructed offsite, e.g., manufactured dwellings, modular homes, and prefabricated structures, as defined in ORS 197A.015. A single dwelling unit on the same lot as, and sharing a common wall with, commercial uses are also single detached dwellings. Middle housing units that have been divided onto individual lots through a Middle Housing Land Division are not Single Detached Dwellings.
- **Temporary Health Hardship Dwelling.** A manufactured home temporarily placed with an existing single detached dwelling and intended to provide convenient, temporary housing for persons with a demonstrated health hardship.
- **Townhouse.** A dwelling unit on its own lot, constructed in a row of two or more attached units, where each dwelling unit is located on an individual lot or parcel and shares at least one common wall with an adjacent unit.



- **Triplex.** Three dwelling units on a lot or parcel. The dwellings may be attached or detached (i.e., may or may not share a common wall or common floor/ceiling). Middle housing triplex units that have been divided onto individual lots through a Middle Housing Land Division are considered a triplex.

- **Quadplex.** Four dwelling units on a lot or parcel. The dwellings may be attached or detached (i.e., may or may not share a common wall or common floor/ceiling). Middle housing quadplex units that have been divided onto individual lots through a Middle Housing Land Division are considered a quadplex.

Easement. The recorded right that allows others to use a defined area of property for specific purpose(s), such as access or utilities.



Easement, Conservation. See *Natural Resource and Watershed Easements, Section 9.0303.*

Easement, General Utility. A specific described area of land that is dedicated and recorded for public utility uses including water, wastewater, stormwater, electricity, natural gas, communications and for maintenance access to such uses.

Easement, Public Access. A recorded right that allows the public to use a defined area of property for access.

Eco-Roof. Also known as Green Roof. A roof that has been constructed with an impermeable barrier, overlain with a layer of planting media (such as soil or other) and vegetation, with the purpose of slowing and filtering stormwater, insulating the building, and reducing the urban heat-island effect.

Ecological Functions. See *Overlay District Definitions, Section 3.0120.*

Effective Impervious Area. See *Overlay District Definitions, Section 3.0120.*

Elderly Housing. Housing for individuals 55 years old or older, or for two-person households in which at least one of the household members is 55 years old or older or for disabled persons. Elderly housing shall qualify as housing exempt from the prohibition against discrimination based on familial status as set forth in the Fair Housing Act and the rules and regulations of the United States Department of Housing and Urban Development, as set forth in 24 C.F.R. Chapter 1, Part 100, Sections 302-304.

The term "elderly housing" does not include a single detached dwelling, a residential subdivision, residential facility or residential home.

Elderly housing must include a commercial kitchen and provide meal services to residents. Retirement housing that is designed for independent living, where each unit has a full kitchen and bath, or that has a shared kitchen but does not provide meal services, is not considered "elderly housing". Such issues shall be classified under the type of housing that they occupy, such as multi-family housing or manufactured dwelling parks.

Elderly housing may consist of any one or any combination of the following:

- **Assisted Living Housing.** Assisted living housing contains separate living units and is designed to support resident independence in a residential setting. Assisted living housing offers a range of services, available on a 24-hour basis, for support of resident choice, dignity, privacy, individuality, independence and home-like surroundings.
- **Congregate Housing.** *See separate definition for Congregate Housing.*
- **Continuing Care Retirement Community (CCRC).** A housing development that is planned, designed, and operated to provide a full range of accommodations and services, including independent living, congregate housing, and medical care. Residents may move from one level to another as their needs change. Such facilities may offer a guarantee of lifetime care, including health care, secured by contracts that require payment of an entrance fee, as well as regular monthly maintenance fees. Other CCRCs include a limited amount of health care as part of the standard fee or they may charge on a pay for service basis. CCRCs may offer rentals as well as ownership options.
- **Immediate Care Facility.** An Immediate Care Facility is designed for persons who do not require round-the-clock nursing, but who do need "preventive care" with less than continuous licensed nursing care or observation. It provides 24-hour service with physicians and nurses in supervisory roles. Such facilities emphasize personal and social care.
- **Skilled Nursing Facility (Nursing Home).** A skilled nursing facility provides a full range of 24- hour direct medical care, nursing, and other health services. Nurses provide services prescribed by a resident's physician. It is for persons who need health supervision but not hospitalization. The emphasis is on nursing care, but restorative physical, occupational, speech, and respiratory services are also provided. Common eating and cooking facilities are provided.

Electric Vehicle. *See Renewable Energy Related Definitions, Section 3.0140.*

Electric Vehicle Charging Station. *See Renewable Energy Related Definitions, Section 3.0140.*

Electric Vehicle Charging Unit. *See Renewable Energy Related Definitions, Section 3.0140.*

Electrical Generating Facility. A stand-alone facility with the primary purpose of generating electric energy on a large scale for sale. Also known as a power station or generating plant.

Electronic Message Center Sign. *See Signs.*

Elevated Building. For insurance purposes, a non-basement building which has its lowest elevated floor raised above ground level by foundation walls, shear walls, posts, piers, pilings, or columns.

Emergency Shelter. *See Shelter or Emergency Shelter.*

Employees. All persons, including proprietors, working on the premises of a business.

Entry. Any access point to a building or portion of a building or facility used for the purpose of entering. An entry includes the approach walk; the vertical access leading to the entry platform; the entry platform itself; vestibules, if provided; the entry door(s) or gate(s); and the hardware of the entry door(s) or gate(s). A primary entry is a type of entry.

Entry, Primary. (Also “Primary Entrance” or “Main Entrance”.) The entry to a building that is designed to facilitate ingress and egress for the highest volume of building users. Generally, each building has one primary entry, but if design features do not make it possible to determine which entry is the primary entry, all entries providing the same capacity of ingress and egress shall be treated as primary entries.

Environmental Technical Guidance Manual. *See Overlay District Definitions, Section 3.0120*

Erosion and Sediment Control. Practices and methods employed to reduce or prevent soil erosion and sedimentation (accumulation or buildup of sediments) resulting from soil disturbing activities or weather events. See the Erosion Prevention and Sediment Control Manual for local requirements.

Erosion Prevention and Sediment Control Manual (EPSC Manual). A manual adopted by the City to specify requirements and acceptable methods for erosion prevention and sediment control in the City.

Erosion Prevention and Sediment Control Plan. A plan for providing erosion prevention and sediment control as described in the EPSC Manual.

Evergreen. Varieties of plants (including groundcover, shrubs and trees) with foliage that persists and remains green year-around.

Exit. A way of departure from the interior of a structure to the open air outside at the ground level. It should be a continuous and unobstructed means of egress to a public way and shall include intervening doorways, corridors, ramps, stairways, smoke proof enclosures, horizontal exits, exit courts, and yards.

Facade. All exterior walls or faces of a building. This may include the front, sides and/or rear of the building.

- **Base.** The lower portion of the building façade adjacent to the ground. This may include windows, texture, projections, awnings, canopies, ornamental detailing, etc. to enhance the pedestrian realm at the street level.
- **Top.** The upper portion of a building façade. This may include cornice detailing, roofs, dormers, and gable ends, etc.
- **Prominent Façade Sections.** Select areas of buildings which shall receive special design attention due to their location. These include building corners that front intersections of public streets or façade sections facing an intersection of two arterials that are a higher classification than minor arterial and façade sections that terminate the view down a right-of-way or primary internal drive.

Face of a Building. All window and wall areas of a building in one elevation.

Face Sign. *See Signs.*

Fascia Sign. *See Signs.*

Fence. An artificially constructed barrier of any material or combination of materials erected to enclose, screen, or separate areas. For purposes of **Section 9.0100**, walls are a type of fence.

Fill. *See Overlay District Definitions, Section 3.0120.*

Findings. A written statement of facts, conclusions and determinations based on the evidence presented in relation to the approval criteria and prepared by the approval authority in support of a decision.

Fin Sign. *See Signs.*

Flag Lot. *See Lot.*

Flag Pole. *See Lot.*

Flap Sign. *See Signs.*

Flashing Illumination Sign. *See Signs.*

Fleet Vehicle. *See Motor Vehicle.*

Flood or Flooding.

- A.** A general and temporary condition of partial or complete inundation of normally dry land areas from:
- 1.** The overflow of inland or tidal waters.
 - 2.** The unusual and rapid accumulation or runoff of surface waters from any source.
 - 3.** Mudslides (i.e., mudflows) which are proximately caused by flooding as defined in paragraph (A)(2) of this definition and are akin to a river of liquid and flowing mud on the surfaces of normally dry land areas, as when earth is carried by a current of water and deposited along the path of the current.
- B.** The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm, or by an unanticipated force of nature, such as flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event which results in flooding as defined in paragraph (A)(1) of this definition.

Flood Areas. *See Overlay District Definitions, Section 3.0120.*

Flood, Base. A flood having a one percent chance of being equaled or exceeded in any given year. Also referred to as the “100-year flood”.

Flood Insurance Rate Map (FIRM). An official map of a community, on which the Federal Insurance Administrator has delineated both the special hazard areas and the risk premium zones applicable to the community. A FIRM that has been made available digitally is called a Digital Flood Insurance Rate Map (DFIRM).

Flood Insurance Study. An examination, evaluation and determination of flood hazards and, if appropriate, corresponding water surface elevations, or an examination, evaluation and determination of mudslide (i.e., mudflow) and/or flood-related erosion hazards.

Flood Management Areas. *See Overlay District Definitions, Section 3.0120.*

Flood Prone. Areas of land not shown on the FIRM but known to have suffered documented watercourse related flooding.


Floodplain. Any land area susceptible to being inundated by flood waters from any source. See also “Flood or Flooding.” *See also the Overlay District Definition in Section 3.0120 for use of this term in those areas.*

Floor Area. The gross area, under roof, of all of the floors of a building, measured for each floor from the exterior faces of a building or structure. Floor area includes stairwells, ramps, shafts, chases, and the area devoted to garages and structured parking. Floor area does not include the following:

- Basements;
- Portions of attics where the finished ceiling height is less than 6 feet 8 inches;
- Roof area, including roof top parking;
- Roof top mechanical equipment; and
- Roofed porches, exterior balconies, or other similar areas, unless they are enclosed by walls on all sides.

Floor Area Ratio. The total amount of floor area of all the buildings in relation to the amount of gross site area, expressed in square feet. For example, a floor area ratio of 0.7 to 1 means 0.7 square feet of floor area for every one square foot of gross site area. FAR is calculated by dividing the total floor area of all buildings on a site by the total gross site area.

Floor Area Ratio (FAR) Calculation



Food Cart. A vehicle or structure that is self-propelled, or that can be pulled, towed, pushed, or otherwise moved down a sidewalk, street, highway or waterway, in which food is cooked, prepared, processed, or converted, or which is used in selling and dispensing food or beverages to the ultimate consumer. Exceptions include residential lemonade stands and similar short-term sales associated with residential uses.

Food Cart Pod. Three or more Food Carts located on the same site for the purpose of selling food, beverages, or both food and beverages.

Fore-Court. An open area in front of a building’s primary entrance.

Forestry Stewardship Council (FSC) Rating. A rating system for wood products whereby certification is granted from the Forestry Stewardship Council’s accredited independent certifiers that evaluate forest management for environmental responsibility, social benefit and economic viability.

Free-Standing Sign. *See Signs.*

Frontage. That portion of a parcel of lot which abuts a transportation facility. Frontage may also refer to: other types of frontage, the façade of a building, or a frontage road, depending on the context of the term in the Code.

Front Lot Line. *See Lot Line.*

Front Yard. *See Yard.*

Future Street Plan. An approved plan for continuation of streets into adjacent property.

Galleria. A functional interior open space accessible to the public during business hours. It must connect areas of pedestrian activity.

Garage. An accessory building or portion of a principal building intended for the parking of vehicles. A carport shall also be considered a garage.

Geotechnical Engineer. See *Overlay District Definitions. Section 3.0120.*

Grade. The lowest point of elevation of the finished surface of ground, paving or sidewalk within the area between the building and the property line, or when the property line is more than five (5) feet from the building, between the building and a line five (5) feet from the building.

Green Development Practices. Stormwater management techniques that utilize the processes of retention, infiltration, and evapotranspiration to treat runoff and reduce the volume of stormwater. Design standards and requirements for Green Development Practices are included in the City of Gresham's Stormwater Management Manual.

Green Street. A street that incorporates Green Development Practices within or adjacent to the right-of-way to treat, retain, and infiltrate stormwater runoff. Green Street section and design standards are included in the City of Gresham's Public Works Standards for each street classification. Green Streets typically use rain gardens, stormwater planters, or porous pavement to manage stormwater runoff.

Gresham Community Development Plan, or Community Development Plan. A plan adopted by the City which is intended to guide the future development of this community. It is also known as the Comprehensive Plan. This plan includes five volumes:

1. Volume 1 - Findings Document
2. Volume 2 - Policies
3. Volume 3 - Gresham Community Development Code, also known as the Development Code or Code
4. Volume 4 – Transportation System Plan
5. Volume 5 – Capital Improvement Plan

Gresham Community Plan Map. The map identifies the land use designations assigned to all property within the City of Gresham. The Plan Map is included as Appendix C of Volume II of the Gresham Community Development Plan.

Grocery Store. A retail trade establishment in which more than 50 percent of the public floor area is dedicated to the sale of perishable and non-perishable food items which are intended for preparation and consumption off site.

Ground Floor. Any occupiable floor less than one story above or below grade with direct access to grade. A building or facility always has at least one ground floor and may have more than one ground floor where a split-level entry has been provided or where a building is built into a hillside.

Ground Floor Height. The vertical distance from the upper surface of the ground floor to the upper surface of the floor immediately above. (*See also Story*).

Groundcover. Turf grass and low plants that cover the ground in place of turf grass. Low plants normally reach an average maximum height of not more than 24 inches at maturity. For required landscaping, groundcover does not include any substitution of bark mulch, bark chips, gravel, or rock in place of living plant materials except as prescribed in the City's Erosion Prevention and Sediment Control Manual.

Grubbing. The removal of any type of rooted vegetation from land by digging, raking, dragging, or otherwise disturbing the roots of such vegetation and soil.

Habitable Floor. For the purpose of minimum building height standards, any floor usable for living purposes, which includes working, sleeping, eating, cooking or recreation, or a combination thereof. A floor used only for storage purposes is not a "habitable floor." This term "habitable floor" does not apply to the provisions of **Section 5.0100** Floodplain Overlay District.

Hardscape. Non-plant landscape materials, including paths, decorative pavers, benches, drinking fountains, arbors, pergolas, playgrounds, plazas, and similar amenities.

Hazardous Tree (or Hazard Tree). A tree that is dead, dying tree, or an unstable live tree (due to disease, structural defects or other factors) that is within striking distance of a target, such as people or property; or has been diagnosed with a lethal pathogen recognized by a Consulting Arborist to present significant contagion risk to adjacent trees. A Hazard Tree has the potential to cause property damage, personal injury or fatality in the event of a failure.

Height Transition Area. A horizontal distance requirement between building and property line.

Helicopter Trip. Each landing or take-off of a helicopter. A landing and a take-off is counted as two trips.

Hipped Roof. *See Roof.*

High Slope Subarea. *See Overlay District Definitions. Section 3.0120*

High Value Resource Area. *See Overlay District Definitions. Section 3.0120*

Historic and Cultural Landmark. A site, building, structure, district, or object found to be of historic significance because it meets the criteria in the Community Development Code for being added to the Historic and Cultural Landmarks List. These include being associated with a significant historical person or a significant past event; having distinctive architectural features representative of an architectural period or a method /type of construction; or likely to yield information important in prehistory or history.

- **Class 1 Historic and Cultural Landmarks.** The most significant historic resources (site, building, structure, district, or object) found on the Historic and Cultural Landmarks List and include all resources that are also listed on the National Register of Historic Places. The exteriors of Class 1 Landmark buildings have been relatively unaltered since the time they were built and closely resemble their historic appearance.
- **Class 2 Historic and Cultural Landmarks.** Historic resources (site, building, structure, district or object) found on the Historic and Cultural Landmarks List that are of lesser significance than Class 1 Historic and Cultural Landmarks but are still of considerable value to the community because of their age or architecture. In general, the exterior appearance of Class 2 Landmark buildings have been altered to a greater degree than Class 1 Landmarks since the time they were built.

Hogan Cedar Tree. *See Tree.*

Home Occupation. A business or commercial activity conducted within a dwelling unit by the permanent residents thereof, said use being secondary to the use of the dwelling for living purposes, and which complies with the terms and conditions of the Gresham Community Development Code.

Hotel. A building or portion thereof, with rooms designed or intended to be used, subletted, or hired out for the purpose of offering lodging on a day-to-day basis to the general public. Motels and apartment hotels shall be classified as hotels. Shelters shall not be classified as hotels.

Housing, Affordable. A residential unit or units that are affordable to households with designated income levels. The income levels are specific to each section pertaining to affordable housing. *see Section 3.0222 Affordable Housing.*

Hydrologic Unit Codes. *See Overlay District Definitions, Section 3.0120.*

Illuminated Awning Sign. *See Signs.*

Immediate Care Facility. *See Elderly Housing.*

Imminent Hazard Tree. *See Tree.*

Indirect Illumination Sign. *See Signs.*

Infill Lots and Parcels. *See Lot.*

Infiltration (in the context of stormwater), or Stormwater Infiltration. The permanent storage and disposal of stormwater, through percolation into the ground. This may occur via the soil surface or the subsurface. The stormwater hierarchy in the Water Quality Manual applies, and a DEQ authorization is required for subsurface infiltration that meets the definition of an Underground Injection Control system. Also referred to as stormwater retention.

Installation Sign. *See Signs.*

Institutional Campus. An institutional use consisting of one or more contiguous lots or site at least 20 acres in size owned or managed by a single entity and providing public/semi-public and private services such as higher educational facilities and hospital campuses with affiliated health care services.

Institutional Master Plan. A development plan for multiple phases of certain institutional uses; parks; and public, paths and trails that includes one or more sites.

Intent. As used in the Design Districts section, a statement indicating the purpose of what the Design Guidelines and Standards regulations are designed to achieve.

Interior Lot. *See Lot.*

Internal Signs, Institutional Campus. *See Signs.*

Internal Illumination Sign. *See Signs.*

Invasive Vegetation. *See Overlay District Definitions, Section 3.0120.*

Irregular Shaped Lot. *See Lot.*

Joint Development. Joint development is real estate development that is closely linked to public transportation services and light rail station facilities and takes advantage of the market and locational benefits provided by them. Joint development can include the physically related or air rights development of a light rail station, and park and ride lots, or the development of properties directly abutting and functionally linked with light rail stations and park and ride lots.

Laboratories/Research and Development Facilities. Firms which undertake scientific, medical and/or high-tech research, development and product or equipment design activities in a setting which combines offices and laboratories and may include small-scale manufacturing.

Land Division. The process of dividing land to create lots or parcels.

Landing. A level area, within or at the terminus of a stair or ramp.

Landscaping. Site improvements which include lawn, groundcover, trees, plants and other natural and hardscape features that are contiguous with plant material landscaped areas, including but not limited to, patios or plazas open to the public or open commonly to residents, street furniture, walkways, fencing, fountains, and works of art.

Except as allowed elsewhere in the Community Development Code, all areas to be credited towards landscaping must be installed with growing plant materials. Mulch, bark chips, and similar materials may be used only as a temporary groundcover at the time of planting or between plantings provided applicable standards for living plant material (i.e., groundcover, shrubs, trees, etc.) are met.

The verification of plant materials requiring specific characteristics can be achieved by any of the following methods:

1. Description in Sunset Western Garden Book (Editor Sunset Books, 1988 or later edition), or
2. By an appendix or definition in the Community Development Code, or
3. By specific certification by a licensed landscape architect.
 - **Parking Lot Landscaping.** Landscaped areas that are located within ten (10) feet of parking modules, internal drive aisles or parking stalls. This landscape area includes parking area perimeter buffers, landscape strips, landscaped islands and bays, major landscape divisions, tree wells and landscaping on internal public streets, primary internal drives and site buffers.

Landslide. See *Overlay District Definitions. Section 3.0120.*

LEED™. The Leadership in Energy and Environmental Design Green Building Rating System developed by the U.S. Green Building Council (USGBC) which provides standards for environmentally sustainable design, construction and operation of buildings and neighborhoods.

Legal Description or Property Description. The metes and bounds description, recorded subdivision lot and block number, or parcel number and the recorded number for a partition plat, or tax lot, section, township and range description for a property.

Level of Service (LOS). A standard of a street's carrying capacity, based upon prevailing roadway, traffic, and traffic control conditions during a given time period. The Level of Service range, from LOS A (free flow) to LOS F (forced flow), describes operational conditions within a traffic stream and their perception by motorists/passengers.

Light Cut-off. An outdoor lighting fixture designed to direct light (usually downward) and prevent light from being emitted outside the area intended for lighting.


Liner Space. Small commercial tenant space along the perimeter of a large commercial building. A liner space typically has an individual storefront and an entry from the exterior of the building. This space(s) can be used to conceal outdoor loading areas.

Lintel. A horizontal structural beam above an opening, such as a window or door that may be expressed externally as an architectural feature.

Local Review. The review of a development permit through all City review levels, including appeals, terminating with the City Council.


Lot. A generic term that describes any unit of land.

- **Corner Lot.** A lot that has frontage on two or more streets. A corner lot also includes a lot abutting the inside curve of a street with a delta angle, as used on plats, of 60 degrees or more.
- **Double Frontage Lot.** A lot with street frontage along two opposite boundaries.
- **Flag Lot.** A lot with two distinct parts: the flag, which is the only building site, located behind another lot; and the flag pole, which connects the flag to the street, provides the only street frontage for the lot and is narrower than the street frontage required for that district.




- **Flag Pole.** The narrow portion of a flag lot needed to provide vehicular access from the street to the remainder of the parcel. A flag pole is typically under parent parcel ownership but may be allowed as an easement for shared access across an adjacent ownership or as interim access pending future street development.
- **Interior Lot.** A lot other than a corner lot, with frontage only on one street.
- **Irregular Shaped Lot.** A lot that is other than rectangular in shape.
- **Middle Housing Lot.** A single unit of land legally created by a Middle Housing Land Division in accordance with **Section 6.0500**.
- **Parent Parcel or Parent Lot.** A lot or parcel of land from which other parcels or lots are divided.
- **Rectilinear Lot.** A lot where the side lot lines are perpendicular to the street upon which it faces or are radial to the street in the case of a curved street.

- **Subdivision Lot.** A single unit of land legally created by a subdivision in accordance with the City of Gresham subdivision regulations.




Lot Depth. The perpendicular distance measured from the mid-point of the front lot lines to the mid-point of the opposite, usually the rear, lot line. *See also Lot Width.*




Lot Line. Any property line bounding a lot.

- **Front Lot Line.** For an interior lot, the lot line abutting a street. In the case of a corner lot, where there is an existing building, the front lot line is determined by the orientation of the front door. For a corner lot where there is no existing building, the front lot line is determined by the orientation necessary to achieve minimum required lot depth. If lot depth may be met in both directions, then the applicant may determine which lot line is the front lot line. In cases where the front lot line is disputable, the Manager shall determine the front lot line. For double frontage lots, the front lot line shall be determined by the Manager except when an access control strip has been required along one of the streets of a double frontage lot by a governmental agency. In that instance, the line separating the lot from this street shall become the rear property line. A lot line abutting an alley is a rear lot line. For flag lots and non-frontage lots where lot depth is met in both directions, the front lot line shall be determined by the Manager.



- **Rear Lot Line.** A lot line which is opposite to and more distant from the front lot line. In the case of an irregular or triangular shaped lot, an imaginary lot line ten feet in length shall be drawn within the lot parallel to and at the maximum distance from the front lot line. In the case of a double frontage lot, each street has a front lot line except when an access control strip has been required along one of the streets by a governmental agency, in which case the line separating the lot from this street becomes the rear property line. A lot line abutting an alley is a rear lot line.



- **Side Lot Line.** Any lot line which is not a front or rear lot line.
- **Zero-Lot Line.** A condition created through a land division process where the lots have setbacks less than that required in the underlying land use district.


Lot Line Adjustment. An adjustment of a property line by the relocation of a common lot line where no additional lots are created or where lots are consolidated resulting in fewer lots.

Lot of Record.

1. A platted lot. Platted lots that were recorded with Multnomah County after December 16, 1975, where City of Gresham approval was required but not sought and granted prior to recordation, are not recognized as lots of record.

2. Land for which a deed or other instrument describing the land was recorded with Multnomah County prior to December 16, 1975, or either approved by Multnomah County or recorded prior to July 26, 1979, if annexed after that date.

Lot Width. The perpendicular distance measured between the mid-points of the two principal opposite side lot lines and at approximately right angles to the lot depth. *see also Lot Depth.*



Lowest Floor. The lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor; provided, that such enclosure is not built so as to render the structure in violation of the applicable non-elevation design requirements of 44 CFR Section 60.3.

Main Entry or Entrance. *See Entry, Primary.*

Maintain. To cause or allow to continue in existence; when the context indicates, maintain shall mean to preserve and care for a structure, improvement, conditions or landscape area so that it remains attractive, safe and presentable and carries out the purposes for which it was installed, constructed or required.

Maintenance, Sign. *See Signs.*

Major Tree. *See Tree.*

Manager. The City Manager of the City of Gresham acting either directly or through authorized representatives.

Mansard Wall Sign. *See Signs.*

Manufactured Dwelling. *See Dwelling.*

Marijuana Business. A medical marijuana business, a recreational marijuana business, a marijuana testing laboratory or a marijuana research facility.

Market Area. A market area is the geographic area which provides most of the continuing patronage necessary to support a shopping center or commercial district.

Marquee Sign. *See Signs.*

Massing, Building. The mass or bulkiness of a building is its three-dimensional form, and its relationship to exterior spaces.

Master Plan. A development plan for multiple projects to be built in two or more phases. A master plan may involve multiple blocks provided that the blocks are contiguous.

Medallion. An ornamental plaque on which is represented an object in relief such as a figure, head, flower, etc.

Micro/Mini Wireless Communication Facility (WCF). A Wireless Communication Facility located on private property characterized by small antennas that are located on utility poles, light poles or buildings, are designed to provide enhanced communication to a geographically limited area and are generally limited to a maximum of three cubic feet in size.


Middle Housing. Duplexes, Triplexes, Quadplexes, Townhouses, and Cottage Clusters.

Mitigation. See *Overlay District Definitions, Section 3.0120.*

Mixed-Use Development. The combination on a site of residential uses with commercial or institutional uses.



Mixed-Use Development - Vertical



Mixed-Use Development - Horizontal

Model Home. A non-occupied dwelling representative of a product line available to consumers; which is not available for occupancy until the public facilities have been approved and accepted by the Manager.

Monument Sign. See *Signs.*

Motor Vehicle. A motorized device used to transport people and/or goods on streets. Such vehicles include motorcycles/mopeds, passenger vehicles, trucks and recreational vehicles with motorized power. Specific characteristics of classes of vehicles include:

- **Fleet Vehicle:** A motor vehicle which is owned by a company, used primarily if not exclusively for the conducting of the company's business, and stored on the company's site when not in use. Fleet vehicles include company cars, repair and delivery vans. The term also applies to the inventory of vehicles at car/truck rental agencies.
- **Passenger Vehicle:** A motor vehicle designed to carry ten persons or less including the driver. Passenger vehicles also include those designed to carry ten persons or less that are constructed either on a truck chassis or with special features for occasional off-road use. Vehicles in this category are commonly referred to as cars or automobiles, minivans, passenger vans and jeeps.
- **Truck:** A motor vehicle which is designed primarily for the movement of goods, equipment or property, or that is designed to carry more than ten persons. Vehicles in this category are commonly referred to as trucks, pick-ups, delivery vans, buses, and motor homes.

Mulch. Non-living organic and synthetic materials such as compost, barkdust or bark chips customarily used in landscape design to retard erosion and retain moisture. Mulch may not be used as a substitute for living plants as part of required landscaping (*see also "Landscaping"*).

Mullion. *See Window Mullion.*

Multi-Business Complex Sign. *See Signs.*

Mural. A painting applied to a wall surface that will be reviewed and approved for artistic merit by an arts reviewing body designated by the City.

Muntin. A vertical member between the casements or panels of a window or panels of a screen.

Native Vegetation. *See Overlay District Definitions, Section 3.0120.*

Natural State. A physical state for a property or portion of property, where upon no development or improvements have occurred, and natural, unmaintained native vegetation is prevalent.

Needed Housing. *See Housing, Needed.*

Neighborhood Activity Center. A land use which draws high levels of daily pedestrian usage, and which functions as a destination for pedestrian and vehicle trips. Examples of neighborhood activity centers include existing or planned parks and recreation facilities, schools, shopping areas, employment centers, theaters, and museums.

New Construction. For the purposes of determining insurance rates, structures for which the "start of construction" commenced on or after the effective date of an initial FIRM or after December 31, 1974, whichever is later, and includes any subsequent improvements to such structures. For floodplain management purposes, new construction means structures for which the start of construction commenced on or after the effective date of a floodplain management regulation adopted by a community and includes any subsequent improvements to such structures.

Non-Conforming Development. An element associated with a use of land which may have been permitted in the district in which it is located, but which does not conform to current applicable development standards and requirements of the Community Development Code. For this purpose, the term "development" includes all improvements on a site, including, but not limited to, buildings, other structures, parking and loading areas, landscaping, paved or graveled areas, and areas devoted to exterior display, storage, or activities.

Development also includes improved open areas such as plazas and walkways but does not include natural geologic forms or unimproved land.

Non-Conforming Sign. *See Signs.*

Non-Conforming Use. A use of land lawfully existing at the time the Community Development Code was enacted, but which is not listed as a permitted land use in the current land use district for the site in question.

Northern Lot Line. *See Lot Line.*

Nuisance. Any thing, substance, or act that creates an imminent threat to the public health, safety, or welfare. Every building or part thereof which is found to be a dangerous building, or building found to be substandard in terms of space and occupancy or deferred maintenance, shall be cited by the City Manager for civil action.

Occupied Space. The total area of all buildings or structures on any lot or parcel of ground projected on a horizontal plane excluding permitted projections as allowed by this ordinance, used to compute percentage of lot coverage allowed.

Offices. A room or group of rooms used for conducting affairs of a business, profession, service, industry, or government.

On-Site Directory Sign. *See Signs.*

On-Site Stormwater Management. The management of stormwater as close to the impervious source as possible. For public streets, on-site stormwater management is defined as management within the public right-of-way. For commercial and industrial buildings, on-site stormwater management is defined as management within the individual tax lot. For residential development, on-site stormwater management is defined as management at the end of each block or within the collective boundary of all of the individual tax lots.

Ordinary High-Water Mark. *See Overlay District Definitions, Section 3.0120.*

Ornamental Tree. *See Tree.*

Other Waters. *See Overlay District Definitions, Section 3.0120.*

Outdoor Advertising Sign. *See Signs.*

Outdoor Area. A particular extent of space or surface that is not within a building but rather in open air. Examples include:

- **Outdoor Sales Display.** An outdoor arrangement of objects, items, products, or other materials that is capable of rearrangement, is not in a fixed position, and which is designed and used for the purpose of sales.
- **Outdoor Storage.** The keeping of materials or goods associated with the rental, distribution, wholesale, manufacturing, processing or repair of equipment or supplies in the same outdoor place for more than 24 hours.

Owner. The owner of record of real property as shown in the records of Multnomah County, on a property deed or title, or a person purchasing a piece of property under contract.

Painted Highlights Sign. *See Signs.*

Painted Wall Decoration Sign. *See Signs.*

Painted Wall Sign. *See Signs.*

Parapet or Parapet Wall. That part of any wall above the roof line as defined in Building Code.

Parcel. A generic term that describes any unit of land.

Parent Parcel or Parent Lot. *See Lot.*

Park and Ride Facility. A permanent facility for vehicle parking by transit riders.

Parking Lot. Pavement/hard surface area and associated circulation routes dedicated to parking vehicles off-street or beyond the right of way, either free or for a fee. Parking areas for single detached dwellings and middle housing are not parking lots except specified in **Sections 7.0431** and **7.0440** where shared parking areas are provided.

Parking Lot Tree. *See Tree.*

Parking Module. One (1) or two (2) rows of parking stalls of any length served by a single drive aisle for access.

Parking Space. A minimum gross area available for the parking of a vehicle, as identified in **Section 9.0800**.

Parking Structure. Any building either above or below grade, or both, primarily used for parking of motor vehicles.

Partition Land. To divide land into two or three parcels of land within a calendar year. See ORS 92.010(8). This does not include:

1. A division of land resulting from a lien foreclosure, foreclosure of a recorded contract for the sale of real property or the creation of cemetery lots; or
2. An adjustment of a property line by the relocation of a common boundary where an additional unit of land is not created and where the adjusted parcels of land meet all the requirements of the Community Development Code; or
3. The division of land resulting from the recording of a subdivision or condominium plat; or
4. A sale or grant by a person to a public agency or public body for state highway, county road, city street, or other right-of-way purposes provided that such road or right-of-way complies with the Community Development Code and ORS 215.213 (2)(p) to (r) and 215.283 (2)(p) to (r).

Partition Parcel. A single unit of land legally created in accordance with the City of Gresham partition regulations.

Passenger Vehicle. *See Motor Vehicle.*

Pedestrian Facilities. Transportation facilities which provide for pedestrian traffic including sidewalks, walkways, paths and trails, crosswalks and other improvements, such as lighting and benches. On undeveloped parcels and parcels intended for redevelopment, pedestrian facilities may also include rights-of-way or easements for future pedestrian facilities.

Pennant Sign. *See Signs.*

Perimeter Tree. *See Tree.*

Permanent Sign. *See Signs.*

Person. Any person, firm, partnership, association, social or fraternal organization, corporation, estate, trust, receiver, syndicate, branch of government, or any other group or combination acting as a unit.

Pervious Paving. Also known as porous pavement or permeable paving. A paving method for paved areas such as roads, parking lots and walkways that allows the movement of water and air through the paving material. Pervious materials allow precipitation to percolate through areas that would traditionally be impervious and instead infiltrates the stormwater through to the soil below. Examples include porous asphalt, concrete, paving stones, bricks, or paver systems that lock together but include small gaps to allow water to pass between the pavers.

Phased Development Project. A phased development plan includes the following:

- A site plan showing the proposed final development of the site and phases, including the initial and interim phases.
- A written statement describing each phase, including the potential uses, and the approximate timeline for each phase of development.

Photovoltaic Panel. *See Renewable Energy Related Definitions, Section 3.0140.*

Planned Development (PD). A type of residential land division and development planned and developed as a single entity that allows flexibility from the development standards of the underlying land use district. A PD usually concentrates units on the most buildable portion of a site so as to preserve natural drainage systems, open space and environmentally sensitive areas. It promotes diversity of housing types and diversity of design while maintaining compatibility with traditional and other neighboring developments. The PD also provides the ability to efficiently develop residential units at low densities on lots that might otherwise be constrained by natural resources, flood plains, slopes, or lot configuration.

Planter Strip. The area, excluding sidewalk, beginning at the back of the curb or outside edge of the shoulder and extending to the property line, lying within the public right-of-way or on publicly owned property or in an easement. This is also known as a planting strip and parking strip. The planter strip is typically used for landscaping and may be used for utilities.

Plat. A survey map showing a final subdivision plat, replat, or partition plat.

Plaza. An exterior open space available to the general public and accessible from abutting sidewalk, alley or street, and oriented to receive sunlight. *See also Public Urban Plaza.*

Pleasant Valley Design District. *See Design District.*

Plinth. The base or platform upon which a wall, column, pedestal, statue, monument, or structure rests.

Potential Resource Area. *See Overlay District Definitions, Section 3.0120.*

Porch. A roofed open area, which may be screened, usually attached to or part of and with direct access to or from a building.

Portable Sign. *See Signs.*

Portico. A covered walkway or major porch with columns on at least one side; a covered colonnade.

Practicable. *See Overlay District Definitions, Section 3.0120.*

Premises. A lot, parcel or tract of land occupied, or to be occupied, by a building or unit or group of buildings and their accessory buildings.

Primary Building Entrance or Entry. *See Entry, Primary.*

Primary Internal Drive. A vehicular way that provides vehicular and pedestrian access through a site, serving as an alternative to a public street connection. Standards for primary internal drives are provided in the Design District code sections.

Primary Street. As used in the Design District standards, the primary street shall be the street with the highest classification. For the Downtown Design District, the following street type hierarchy shall be followed (listed highest to lowest; shown on **Map 4.1140 Downtown Street Types**): Urban Boulevard (Arterial), Main Avenue, Urban Local, other Unique Streets, Downtown Local. For the Civic Design District, the street type hierarchy is provided in **Section 4.1241**. When two streets have the same classification, the applicant shall identify the primary street frontage.

Principal Building. A structure within which is conducted the principal use of the lot.

Principal Use or Primary Use. The main use to which the premises are devoted and the primary purpose for which the premises exists. *See also Section 3.0204, Classifying a Use.*

Private Open Space. As used in the Design District standards, an open space area that is abutting and/or directly accessible from an individual dwelling unit and not shared with other dwelling units. Examples include decks, balconies, patios, and landscaped yards.

Private Public Property Interface. *See Overlay District Definitions, Section 3.0120.*

Project. A single development built in a single phase. A project may involve single or multiple buildings or single or multiple blocks provided that the blocks are adjacent and all development occurs in a single phase.

Projecting Sign. *See Signs.*

Pruning. *See Tree Related Definitions, Section 3.0150.*

Public Body. State government bodies, local government bodies, and special government bodies. Special government bodies include:

- A public corporation;
- A school district;
- A public charter school (ORS chapter 338);
- An education service district;
- A community college district or community college service district (ORS chapter 341);
- A public university listed (ORS 352.002);
- An intergovernmental body formed by two or more public bodies; or
- Any entity that is created by statute, ordinance or resolution that is not part of the state government or local government (ORS 174.109, 174.108, 174.117).

Public Community Park. A large park (generally 13 to 50 acres) that provides active and passive recreational opportunities for all city residents. Accommodates large group activities.

Public Connector Path. A public path, also called a mid-block connector path, that may be used in place of public streets or primary internal drives to provide pedestrian connectivity through a development site. Standards for public connector paths are provided in **A5.509** and the Design Districts.

Public Path. A paved public access route designed for a broad range of users such as pedestrians (including pedestrians with disabilities), hikers, runners, bicycle riders, horseback riders, users in wheelchairs, and users pushing strollers, for transportation and recreation purposes. The term “Multi-Use Path” is often used interchangeably with public path in City and regional documents.

Public Neighborhood Park. A small park (generally 1 to 13 acres) located within biking and walking distance of users. Provides access to basic recreation opportunities. Includes pocket parks in denser urban areas, which are usually less than 1 acre.

Public Open Space. An area of natural quality for protection of natural resources, nature-oriented outdoor recreation and trail-oriented activities. Includes greenways, which are linear open spaces along significant waterways.

Public Place. A public park, LRT station, right-of-way, path, trail, or public easement that accommodates pedestrians.

Public Trail. A soft surface public access route primarily for passive pedestrian activities such as walking, hiking, and running. Horseback riding and bicycling are also common uses though generally permitted only where steep slopes, erosive soils, or other sensitive site considerations do not exist.

Public Trail Access Points. Minor entry points primarily for neighborhood residents to access the public trails and paths system from residential neighborhoods, streets, sidewalks, parks, and other public facilities. Trail orientation and regulatory signs occur at trail access points.

Public Trailheads. Major entry points for neighborhood residents and the general public to access the public trails and paths system and where a number of support facilities can be provided for public use. Possible trailhead facilities may include off-street parking for up to twelve vehicles, vehicular access control gate with padlock, bike racks, information kiosk, orientation and regulatory signs, overhead shelter, drinking fountains, seat benches, portable restrooms, and picnic tables.

Public Urban Plaza. Multi-purpose paved area within high density urban developments and along transit corridors. Provides spaces for community events and the day-to-day recreational needs of nearby residents and employees as well as shoppers and transit users. Includes town squares. Generally, less than 1 acre. May include landscaping. *See also Plaza.*

Public Use Areas. Interior or exterior rooms or spaces which are made available to the general public. Public use may be provided at a privately or publicly owned building or facility.

Public Works Standards. The Public Works Standard Details, Construction Specifications, and Design Standards. Also referred to as the Gresham Public Works Standards. Gresham City Council shall adopt the Public Works Standards by resolution.

Publicly Accessible Open Space. An open space area that is typically developed as part of a project and is intended for and accessible for public use. The area may include a variety of types of spaces, both hardscaped and landscaped, such as on-site plazas, interior courtyards, patios, terraces, and gardens. These open spaces are often located and designed to encourage and concentrate activity on a site.

Qualified Arborist. *See Arborist.*

Radio Frequency (RF) Energy. Energy, consisting of related electric and magnetic fields, produced by alternating currents of sufficiently high frequency, which may be emitted or collected by an antenna, and which presents a self-sustaining, self-propagating electromagnetic wavefront. RF energy may, among other uses, be modulated (encoded) so as to convey intelligence such as voice, digital data, and still or moving pictures, between radio frequency facilities. The RF spectrum occupies, for practical purposes, but not exclusively, wavelengths from 10 km to 10 mm, representing a frequency range of 3 kHz to 300 GHz.

Radio Frequency (RF) Facility. A land use that generates, detects or processes RF energy for purposes of wireless communication via antennas by means of transceivers, transmitters and/or receivers, and, including antennas; feedlines; structures or towers to support antennas, feedlines, and other receiving and/or transmitting devices; transmitters, receivers and transceivers; accessory equipment, development and structures; and the land on which they are all situated.

Rain Garden. A shallow landscaped basin that accepts stormwater runoff from rooftops, parking lots, streets, or other impervious surfaces, with the purpose of storing and filtering or infiltrating the water into the ground.

Readerboard Sign. *See Signs.*

Rear Lot Line. *See Lot Line.*

Rear Yard. *See Yard.*

Receive-only Antenna. An antenna which receives television or radio signals from satellites, ground based transmitting broadcast towers or other facilities.

Rectilinear Lot. *See Lot.*

Redemption Center. An indoor retail facility approved by the Oregon Liquor Control Commission facilitating the return of empty beverage containers and serving dealers of beverages, where any person may return empty beverage containers and receive payment of the refund value of such beverage containers.

Redevelopment. Development that occurs on sites that have previously been developed. Reflectivity or Reflectance. Solar reflectivity (or reflectance) is the fraction of the solar energy that is reflected by the surface (e.g., roofing membrane) back to the sky. White membranes have the highest solar reflectivity, while black have the lowest. The best standard technique for its determination uses spectrophotometric measurements, with an integrating sphere to determine the reflectance at each different wavelength. The average reflectance is then determined by an averaging process, using a standard solar spectrum. This method is documented by ASTM (Amer. Soc. for Testing and Materials) as Standards E903 and E892.

Registered Child Care Facility. In-home childcare for a maximum of 10 children and certified by the Child Care Division of the State of Oregon.

Registered Consulting Arborist. *See Arborist.*


Regulated Tree. *See Tree.*

Regulatory Floodway. The channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than a designated height.

Remodel. Changes to an existing building that result in the demolition of less than 50 percent of its exterior walls, no additional floors and no additions that result in new street facing facades. Subsequent applications for remodels may be applied for a minimum of one year after the issuance of the Certificate of Occupancy for the prior remodel.

Repair, Sign. *See Signs.*

Reservation Line. A surveyed line that provides a development restriction for a specific purpose. Such lines could include: a non-access strip at the end of a developed street to be removed once street extension occurs, or a line identifying a future right-of-way expansion boundary. The area between the property line and the right-of-way is known as a reserve strip.



Residential Facility. *See Residential Facility Land Use Classification, Section 3.0220.*

Residential Home. *See Residential Home Land Use Classification, Section 3.0221.*

Residential Use. A residential use provides for human living, sleeping, and sanitation with tenancy generally arranged on a month-to-month basis, or for a longer period. Shorter tenancy in shelters, transitional housing, and individual dwelling units is also considered residential use. However, buildings or properties with more than four (4) dwelling units or more than eight (8) individually rented sleeping units, where the majority of the units are rented sleeping units, where the majority of the units are rented on a short-term basis and transient lodging tax is required to be paid, are classified as commercial use.

Residentially Designated Land. Land in the following land use districts: LDR-5, LDR-7, TLDR, TR, MDR-12, MDR-24, CMF, DRL-1, DRL-2, CNRM, LDR-GB, LDR-PV, MDR-PV, HDR-PV, VLDRSW, LDR-SW and THR-SW.

Restoration. *See Overlay District Definitions, Section 3.0120.*

Revegetation. The replacement of trees and plant materials where there has been soil disturbance or the loss of trees and other vegetation, or encroachment of invasive species.

Right-of-Way (ROW). A general term denoting public land, property, or interest therein acquired for, or devoted to a public transportation facility. It includes, but is not limited to, streets, roads, highways, bridges, alleys, sidewalks and all other public ways, including the subsurface under and air space over these areas under the jurisdiction of the City or other public entity.

Riparian. *See Overlay District Definitions, Section 3.0120.*

Rockwood Design District. *See Design District.*

Roof. A structural covering over any portion of a building or structure including projections beyond the walls or supports of the building or structure.

- **Roof, Butterfly.** A roof where planes are designed so the middle of the roof is lower and the outer edges are higher.
- **Roof, Gable.** A roof identified by the straight slope falling from ridge to eave, creating a peak or triangle on the side or front façade. Gables structures have rakes on the gable facades and eaves on the non-gabled facades.
- **Roof, Gambrel.** A ridged roof divided on each side into a shallower slope above a steeper one.
- **Roof, Hipped.** A roof that slopes on all sides up to a peak or ridge.
- **Roof, Mansard.** A roof having two slopes on its sides, with the lower slope almost vertical and the upper almost horizontal. These roofs often allow a tall attic space, frequently used to add an upper story.
- **Roof, Shed.** A roof having only one sloping plane.

Roof Sign. *See Signs.*

Roof Line Sign. *See Signs.*

Rotating Sign. *See Signs.*

Routine Repair and Maintenance. *See Overlay District Definitions, Section 3.0120.*


Same Ownership. Ownership by the same person, corporation, firm, entity, partnership, or unincorporated association; or entities, or unincorporated associations, in which a stockholder, partner, or associate, or a member of his family owns an interest in each corporation, firm, partnership, entity, or unincorporated association.

School, Commercial. A for-profit education facility that can include instruction in arts, crafts, and trades. A commercial school is not an elementary, middle or high school.

Scoring. A technique used to divide a sidewalk area by patterning grooves in the concrete for aesthetics or to control cracking.

Service Station. An auto dependent commercial use selling fuel and oil for vehicles; selling, servicing and installing tires, batteries, accessories and related products; furnishing minor repair, maintenance, cleaning and detailing, and service when conducted entirely within an enclosed building, and at which incidental services are conducted. "Minor repair and service", as used in this definition, shall be understood to exclude activities such as painting, bodywork, steam cleaning, tire recapping, major engine or transmission overhaul or repair involving removal of a cylinder head or crankcase, and mechanical carwashing.

Setback. The minimum or maximum allowable horizontal distance from a given point or line of reference to the nearest exterior wall or other element of a structure as defined herein, or to other relevant site features as identified in the respective land use district. The point or line of reference will be the lot line following any required dedication, future street widening or a special or reservation line if one is required pursuant to this ordinance.



Setback Adjustment. See *Overlay District Definitions, Section 3.0120.*

Severe Crown Reduction. See *Tree Related Definitions, Section 3.0150.*

Shade Tree. See *Tree.*

Shared Housing Facility. A building, or any portion thereof, other than a dwelling unit, elderly housing, residential home, or residential facility, providing residential facilities for one or more persons, including permanent provisions for living, sleeping, and sanitation (all facilities may be shared or private). A dwelling unit that contains more than eight (8) bedrooms is classified as a shared housing facility. Calculation for density of shared housing facilities is provided under *Density, Net.*

Shared Open Space or Shared Private Open Space. An open space area, typically associated with multi-unit residential development, providing a place exclusively for residents of the development to gather for active and/or passive recreational use. The space is also referred to as common open space.

Shelter or Emergency Shelter. A building or cluster of buildings that provides shelter on a temporary basis for individuals and families who lack permanent housing (ORS 197.782). Shelter also refers to a facility, or part of a facility, providing temporary protective sanctuary for victims of crime or abuse, including emergency housing during crisis interventions for individuals, such as victims of rape, child abuse, or domestic violence. A shelter located within a dwelling unit with eight (8) or fewer bedrooms is a dwelling unit, otherwise it is a shared housing facility.

Shrub. A woody plant, smaller than a tree, consisting of several small stems from the ground or small branches near the ground.

Side Lot Line. See *Lot Line.*


Sidewalk. Any paved or unpaved walkway for use by non-vehicular traffic and capable of use by pedestrians. Public sidewalks are located within a public right-of-way, a public access easement, a dedicated public access way, or the land located between the curb line or outside edge of the pavement of any road, street or highway and the adjacent property line. Private sidewalks are located outside the public right-of-way.

Side Yard. See *Yard.*

Significant Tree, Significant Grove. *see Tree.*

Signs. Materials placed or constructed primarily to convey a message or other display to identify sites and activities, and which can be viewed from a right-of-way, private roadway or another property.

- **Abandoned Sign.** A sign structure not containing a sign for 120 continuous days or a sign not in use for 120 continuous days.
- **A-Board Sign.** A double-faced portable sign constructed with an A-shaped frame, composed of two sign boards attached at the top and separate at the bottom, and not supported by a structure in the ground. Is normally associated with business activity and is placed-out-of-doors during business hours for display and returned indoors when the business is closed.
- **Animated Sign.** A sign portraying moving images, either in the form of moving lights, animation, or television like real images.
- **Awning Sign.** A sign incorporated into or attached to an awning.
- **Awning Sign, Illuminated.** A sign made of a translucent flexible covering designed in awning form. Such signs are internally illuminated.
- **Balloon Sign.** Any three-dimensional ambient air-filled object depicting a container, figure or product, or to which a temporary sign has been attached, or to which a sign has been incorporated.
- **Banner Sign.** A temporary sign made of fabric or other non-rigid material with or without an enclosing framework.
- **Bench Sign.** A sign that is displayed on a structure designed for sitting and displayed out of doors in view of the general public.
- **Direct Illumination Sign.** Exposed lighting or neon tube on the sign face.
- **Directional Sign.** A permanent sign which is designed and installed solely for the purpose of pedestrian, bicycle and vehicular traffic direction and placed on the property to which the public is directed.




- **Directional Signs, Institutional Campus.** A directional sign located in an institutional campus.
- **Electronic Message Center Sign.** Signs whose message or display is presented with patterns of lights that may be changed at intermittent interval by an electronic process.
- **Face Sign.** The display portion of a sign.
- **Fascia Sign.** A single faced sign attached flush to a building.
- **Fin Sign.** A sign which is supported by a pole or poles and partly by a building.
- **Flag Sign.** A rectangular piece of fabric or other material, of distinctive design, used as a symbol.


- **Flashing Illumination Sign.** Lights which blink on and off randomly or in sequence.
- **Free-Standing Sign.** A sign on a frame, pole or other support structure which is not attached to any building.



- **Indirect Illumination Sign.** The light source is separate from the sign face or cabinet and is directed so as to shine on the sign.
- **Installation Sign.** The development of a sign. Installation shall include erecting, constructing, re-constructing, placing, altering, changing the sign face, relocating, suspending, attaching and the installation of electrical parts, wiring or illumination of any sign. However, installation shall not include changes in copy of a readerboard or outdoor advertising sign or of the removable panels of a free-standing multi-business complex sign.
- **Internal Illumination Sign.** The light source is concealed within the sign.
- **Internal Signs, Institutional Campus.** A sign located within the boundaries of the campus.
- **Maintenance Sign.** Normal care needed to keep a sign functional such as cleaning, oiling and changing of light bulbs.
- **Mansard Wall Sign.** Any sign placed on a building with an actual or false roof which does not vary more than 30 degrees from the vertical. Such mansard wall shall extend along the full width of the building.
- **Marquee Sign.** A sign incorporated into or attached to a marquee or permanent canopy.
- **Monument Sign.** A free-standing sign sitting directly on the ground or mounted on a base.



- **Moving Parts Sign.** Features or parts of a sign structure which through mechanical means are intended to move, swing or have some action.
- **Multi-Business Complex Sign.** Premises planned and developed as a unit with an undivided or non-segregated parking area that functions and advertises as a center, and which has multiple occupancy by business or service firms. A business is considered as part of a multi-business complex regardless of whether said business occupies a separate structure or is under separate ownership or is on a separate parcel.



- **Non-Conforming Sign.** A sign or sign structure lawfully installed and properly maintained that would not be allowed under the sign regulations presently applicable to the site.
- **On-Site Directory Sign.** A sign listing the names, and/or use, and/or location of the various businesses or activities conducted within a building or group of buildings.
- **Outdoor Advertising Sign.** A sign supported by a substantial permanent sign structure with a display surface or display surfaces designated primarily for the purpose of painting or posting a message thereon at periodic intervals.
- **Painted Highlights Sign.** Painted wall highlights are painted areas which highlight a building's architectural or structural features.
- **Painted Wall Decoration Sign.** Painted wall decorations are displays painted directly on a wall and are designed and intended as a decorative or ornamental feature. Painted wall decorations may not contain copy, logos or trademarks which are greater than 20 square feet, or 10 percent of the building wall, whichever is less.
- **Painted Wall Sign.** A sign applied to a building wall with paint, and which has no sign structure.
- **Pennant Sign.** A triangular or irregular piece of fabric or other material, commonly attached in strings or strands, or supported on small poles.
- **Permanent Sign.** A sign attached to a building, structure or the ground in some manner requiring a permit and made of materials intended for more than short term use.
- **Portable Sign.** A sign designed to be transported which can be free-standing and unattached, or temporarily or permanently attached to the ground, structures or other signs.
- **Projecting Sign.** A sign attached and projecting out from a building face or wall and generally at right angles to the building. Projecting signs include signs projecting totally in the right-of-way, partially in the right-of-way and fully on private property.



- **Readerboard Sign.** A sign on which message copy can be changed manually, in the field, through the utilization of attachable letters, numbers, symbols and other similar characters or changeable pictorial panels.
- **Repair, Sign.** Fixing or replacement of broken or worn parts. Replacement is of comparable materials only. Repairs may be made with the sign in position or with the sign removed.
- **Roof Line Sign.** The lower edge of the roof or top of the parapet, whichever forms the top lines of the building wall.
- **Roof Sign.** A sign installed upon, against or directly above a roof, or roof eave, or on top or above the parapet, or on a nonfunctional architectural appendage above the roof or roof eave.
- **Rotating Sign.** Sign faces or portions of a sign face which revolve around a central axis.
- **Special Event Banner Sign.** A sign that is temporarily displayed over a right-of-way for a limited period of time for a public event. A special event occurs on a specific date or dates, is open to the community, and has been declared a special event by the City Council.
- **Structural Alteration Sign.** Modification of the size, shape or height of a sign structure. Also includes replacement of sign structure materials with other than comparable materials, for example metal parts replacing wood parts.
- **Structure Sign.** A structure specifically intended for supporting or containing a sign.
- **Temporary Lawn Sign.** A temporary rigid sign no more than 6 square feet in area.
- **Temporary Rigid Sign.** A temporary sign made of rigid materials such as wood, plywood and plastic.
- **Temporary Sign.** Any sign, regardless of construction material, that is not permanently attached to a building, structure or the ground and/or is intended to be displayed for a limited period of time.
- **Under Marquee Sign.** A sign which is installed or maintained under and supported or partially supported by a marquee.
- **Unsafe Sign.** Any sign determined to be a hazard to the public by the Building Official or authorized representative.
- **Wind Sign.** Any attention-getting device or series of devices such as streamers, banners and pennants designed and fastened in such a manner as to move upon being subject to pressure by the atmosphere.

- **Window Sign, Inside.** A sign mounted or hung on the inside of a window that is visible from outside of the premises. Window signs (including the sum area of both inside and outside window signs) shall not cover more than 50 percent of the window face.
- **Window Sign, Outside.** A sign mounted or hung on the outside of a window. Window signs (including the sum area of both inside and outside window signs) shall not cover more than 50 percent of the window face.

Single Detached Dwelling. *See Dwelling Unit.*

Single Room Occupancy (SRO) Housing. A residential development with no fewer than four (4) attached sleeping units that are independently rented and lockable and provide living and sleeping space for the exclusive use of an occupant but require that the occupant share sanitary or food preparation facilities with other units in the occupancy (ORS 197A.430). SRO housing located within a dwelling unit with eight (8) or fewer bedrooms is considered a dwelling unit, otherwise it is considered a shared housing facility.

Site. An area of real property encompassing single or multiple lots that may also be in either single or multiple ownerships, notwithstanding that a particular development permit application may be for development of all or a portion of the site only. Conveyance of less than fee title to different persons, such as by ground lease, shall not prevent the Manager from requiring application for Site Plan review and subsequent action for the whole "site".

Site Area, Gross. The total area of all lots in a development.

Site Area, Net. The total area of all lots in a development, subtracting areas within the Natural Resource Overlay or Hillside and Geologic Risk Overlay; areas encumbered by Natural Resource or Hillside Easements; and area dedicated to public streets.

Site Plan. A plan, prepared to scale, showing accurately and with complete dimensions all the uses proposed for a parcel of land and other information as required by specific sections of this code.

Skilled Nursing Facility. *See Elderly Housing.*

Slope, Cross. Slope perpendicular to the direction of travel.

Slope, Running. Slope parallel to the direction of travel.

Solar Energy System. *See Renewable Energy Related Definitions, Section 3.0140.*

Solar Reflective Index (SRI). *See Renewable Energy Related Definitions, Section 3.0140.*

Solar Water Heating System. *See Renewable Energy Related Definitions, Section 3.0140.*

Spandrel Glass. A type of opaque glass that when installed monolithically, in insulating units, or as laminated glass conceals beams, columns or other internal non-vision construction materials of buildings. Spandrel glass is commonly used between certain sections of a building including the area between floors, columns, ceilings, and other small or large spaces. In addition to its use to conceal structural building materials, spandrel glass can also be used in an aesthetically appealing way to create an overall uniform glass-front appearance.

Special Event Banner Sign. *See Signs.*

Springwater Design District. *See Design District.*

Stand. *See Tree Related Definitions, Section 3.0150.*

Start of Construction. (For other than new construction or substantial improvements under the Coastal Barrier Resources Act [Pub. L. 97-348]) includes substantial improvement, and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, rehabilitation, addition placement, or other improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

Steep Slopes. See *Overlay District Definitions, Section 3.0120*.

Storefront Window. A large ground-floor window of transparent glass which is used for display purposes and/or for visibility into the building.

Stormwater Filtration. The treatment of stormwater by flowing water through various types of media, such as vegetation, sand or synthetic materials, which absorb and filter out pollutants. This method is also referred to as “flow through treatment”.

Stormwater Management Manual (SWMM). A manual adopted by the City to specify requirements and acceptable methods to provide for stormwater management (improving water quality and reducing volume/quantity) in the city.

Stormwater Planter. A rain garden with structural side walls constructed of concrete, steel, or other durable building material.

Stormwater Report. A plan documenting how stormwater quality and quantity will be addressed for a proposed development to meet requirements described in the Stormwater Management Manual, City codes, and Public Works Standards.

Stormwater Runoff. The water which runs off a site during or following a storm event. The amount of runoff depends on the area of the site, the intensity of the rainfall and the runoff coefficient for the site, which is in turn dependent on the site’s perviousness.

Stormwater Treatment. The process of removing sediment and/or pollutants from stormwater runoff by using one or more methods (e.g. detention, retention/infiltration, filtration, separation) specified in the City’s Stormwater Management Manual.

Stormwater Treatment Facility. Any structure or drainage way that is designed, constructed, and maintained to collect and filter, retain, or detain surface water run-off during and after a storm event for the purpose of improving water quality or reducing water quantity.

Story. That portion of a building included between the upper surface of any floor and the upper surface of the floor next above. The topmost story shall include that portion of a building between the upper surface of the topmost floor and the ceiling or roof above, including a hipped or other angled/pitched roof. If the finished floor level directly above a basement or unused under-floor space is more than 6 feet above grade as defined herein for more than 50 percent of the total perimeter or is more than 12 feet above grade as defined herein at any point, such basement or unused under-floor space shall be considered as a story.

Story, First. The lowest story in a building which qualifies as a story, as defined herein, except that a floor level in a building having only one floor level shall be classified as a first story, provided such floor level is not more than 4 feet below grade, as defined herein, for more than 50 percent of the total perimeter, or more than 8 feet below grade, as defined herein, at any point. If a floor is more than four feet below grade for more than 50 percent of the total perimeter, then it is a basement.

Stream. *See Overlay District Definitions, Section 3.0120.*

Street, Road or Highway. The portion of a public right-of-way that is open, used or intended for use by the general public for vehicles or vehicular traffic, including bridges, viaducts, other structures and any paved, graveled or dirt shoulder. Descriptions, classifications, and standards for streets, roads, or highways under City jurisdiction, are in the City's Transportation System Plan.

Structural Alteration Sign. *See Signs.*

Structural Soil. A type of soil or soil structure which meets the load-bearing requirement for structurally sound pavement installation while encouraging an enhanced growing environment and deep root growth for trees away from the pavement surface. Typical examples include CU (Cornell University) Structural Soil™ and sand based structural soil. For purposes of this Code, the term also includes structural cells that suspend and support pavement while allowing trees to access larger, low compaction organic mineral loam soil volumes such as Silva Cells™ or other comparable products equal to Silva Cells™.

Structure. Anything which is constructed, erected or built and located on or under the ground, or attached to something fixed to the ground. *See also Overlay District Definitions, Section 3.0120* for specific applications of this term in those areas.

Structure, Accessory. A structure that is subordinate in size and purpose to the principal structure serving a purpose customarily incidental to the use of the principal structures. Accessory structures include residential detached carports, garages, and garden sheds.

Structure, Sign. *See Signs.*

Stucco. An exterior finish composed of some combination of Portland cement, lime and sand (and sometimes additives such as glass fibers or acrylic) that are mixed with water, which dries into a hard-textured surface. Stucco shall be applied on a durable, solid substrate (such as metal lath or cementitious board) with a weather barrier and air gap/drainage channel; stone; brick; or cement block in a three-step process involving the base coat, scratch coat and finish/texture coat.

Subdivide Land. To divide land to create four or more lots within a calendar year.

Subdivision Lot. *See Lot.*

Substantial Damage. Damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

Substantial Improvement. Any repair, reconstruction or improvement of a structure, the cost of which equals or exceeds 30 percent of the market value of the structure either:

1. Before the improvement is started, or
2. If the structure has been damaged and is being restored, before the damage occurred. For the purposes of this definition "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure.

See also *Overlay District Definitions in Section 3.0120* for specific applications of this term in those areas.

Sun Screen/Sun Shade. An attached projecting, architectural feature designed to provide shading from the sun. A sun screen/sun shade is a rigid structure and can add a decorative element to building design but provides a functional energy conservation benefit to the building by deflecting solar heating away from building windows or walls. (*see also Canopy*).

Temporary Health Hardship Dwelling. *See Dwelling Unit.*

Temporary Lawn Sign. *See Signs.*

Temporary Rigid Sign. *See Signs.*

Temporary Sign. *See Signs.*

Tenant. Any person who occupies or has a leasehold interest in a rental unit under a lawful rental agreement whether oral or written, express or implied.

Tentative Plan. A clearly legible drawing of the proposed layout of lots and other elements of a partition or subdivision which shall help furnish a basis for the approval authority to approve or disapprove the general layout of the development.

Theme Park. A commercially operated park with indoor and outdoor entertainment, rides, games and activities such as motorized rides and water slides.

Title 3 Wetland. *See Overlay District Definitions, Section 3.0120.*

Top. *See Façade.*

Townhouse Project. One or more townhouse structures constructed, or proposed to be constructed, together with the development site where the land has been divided, or is proposed to be divided, to reflect the townhouse property lines and any commonly owned property.

Townhouse Style. Multi-family building(s) constructed in a style similar to townhouses. Townhouse style multi-family provides vertical separation between dwelling units, has individual ground floor entrances, and is usually two or three stories.

Tract. Any unit of land.

Transit Facility. A transit facility includes a light rail transit station, or a park and ride lot for transit riders, or a transit center, or a transit stop and their transit improvements.

Transit Streets and Routes. Current and future routes for transit service as shown in the Transportation System Plan, of the Gresham Community Development Plan and categorized according to three classes:

- Future Transit Routes are anticipated for future transit service and may include all streets classified as minor arterial or higher.
- Transit Routes. Transit routes currently have existing but infrequent transit service. Transit Routes are subject to future designation as Transit Streets.
- Transit Streets are streets which are currently served by frequent transit service or streets that are designated as regional transit corridors in a regional growth plan or transportation plan.

Transit Supportive Use. A use that provides goods, services, or activities which are attractive and convenient to transit riders and pedestrians. A transit supportive use is one which, by its design and character, is highly compatible with rail transit station areas. A transit supportive use generates a high level of transit trips relative to vehicular trips as compared to less transit supportive uses. A transit supportive use minimizes surface parking lot demands.

Transitional Housing. Housing provided for an extended period and generally integrated with other social services and counseling programs to assist in the transition to self-sufficiency through the acquisition of a stable income and permanent housing.

Transitional Housing for Formerly Incarcerated Individuals. Transitional housing intended specifically for individuals recently released from incarceration. Transitional housing located within a dwelling unit with eight (8) or fewer bedrooms is a dwelling unit, otherwise it is a shared housing facility.

Transitional Setback Space. An area between the property line and building that allows for a transition between the public realm of streets and sidewalks and the private use. This space can include porches, stoops, landscaped yards, gardens, hedges, low fences, and other elements that provide layers of transition.

Transitway. An exclusive right-of-way for transit use, either bus or light rail. **Transom Window.** A window above a door that is usually hinged to a horizontal crosspiece over the door.

Transportation Facility. A physical facility that is used to accommodate the movement of people or goods. Transportation facilities include, but are not limited to: sidewalks, paths, streets, roads, and highways. Transportation facilities do not include electricity, wastewater, and water systems.

Tree. A large, perennial woody plant generally having a self-supporting stem, trunk or multi-trunks and numerous branches. Hedges and arborvitae are not considered trees.

- **Buffer Tree.** An evergreen or deciduous tree that has been approved as part of a buffering and screening plan.
- **Dead Tree.** A tree, as determined by a Certified Arborist, that has been damaged beyond repair or is in an advanced state of decline where an insufficient amount of live tissue, green leaves, limbs or branches exists to sustain life.
- **Deciduous Tree.** A tree typically with broad, flat leaves that normally sheds leaves annually and becomes dormant for some period of time.

- **Evergreen Tree.** A tree with needles or leaves that remain alive and on the tree through the winter and into the next growing season.
- **Habitat Tree.** A tree either living or dead that provides nesting space for birds and/ or hollows for cavity dwellers and perches for those animals using the area for foraging or living space.
- **Hazardous Tree.** A tree that is a dead, dying tree, or an unstable live tree (due to disease, structural defects or other factors) that is within striking distance of a target, such as people or property; or has been diagnosed with a lethal pathogen recognized by a Consulting Arborist to present significant contagion risk to adjacent trees. A Hazard Tree has the potential to cause property damage, personal injury or fatality in the event of a failure.
- **Hogan Cedar Tree.** A unique form of Thuja plicata, the western red cedar, which grows naturally only in the Gresham area. The population center is located approximately where Hogan Road meets Johnson Creek.
- **Imminent Hazard Tree.** A hazard tree where more than 30 percent is estimated to fall within 72 hours into the public right-of-way or onto a target that cannot be protected, restricted, moved or removed.
- **Landscape Tree.** A tree that was approved as part of a landscaping plan, including “site” trees per **Article 7**.
- **Major Tree.** A tree that has a 12-inch DBH or greater (30-inches diameter at breast height for Trees First Policy). Major trees are those that contribute to the landscape character of the area, including Douglas-fir, red cedar, redwood, giant sequoia, oak, ash, birch, and maple. Major trees are typically suitable for retention next to streets and are not of a species that would likely create a public nuisance, hazard, or maintenance problem.
- **Native Tree.** A tree that is endemic (indigenous) to Oregon, occurring naturally in the area.
- **Non-Native Tree.** For purposes of tree removal, any tree (including shade trees) that originated as nursery stock and that does not qualify as a native Oregon tree.
- **Ornamental Tree.** A tree that is generally less than 25 feet tall at maturity and used in a landscape setting for decorative or aesthetic purposes.
- **Parking Lot Tree.** A tree which was approved as part of a parking lot plan.
- **Perimeter Tree.** An existing tree that has a Diameter at Breast Height (DBH) of 8 inches or greater, located within 5 feet of either side of a property line. Does not include trees on developed single detached dwelling or middle housing lots, in the public right-of-way or within 5 feet of the public right-of-way.
- **Regulated Tree.** A tree that has a Diameter at Breast Height (DBH) of 8 inches or greater, including trees located in the Special Purpose Overlay Districts. Regulated Trees are not Required Trees or Significant Trees.
- **Required Tree.** A protected tree subject to specific standards for removal and replacement that include Street Trees, Buffer Trees, Perimeter Trees, Landscape Trees and Parking Lot Trees of any size and other trees required to be planted by the Development Code. Required Trees are not Regulated Trees.
- **Shade Tree (or Canopy Tree).** A deciduous tree, planted primarily for its high crown of foliage or overhead canopy.

- **Significant Tree; Significant Grove.** A tree or group of trees that have been designated by the City as having unique importance, and subject to the Significant Tree Regulations of **Section 9.1000**, Tree Regulations.
- **Site Tree.** Any tree located within the property boundaries of a site. *see Site Definition, Section 3.0103.*
- **Street Tree.** A tree located in the public right-of-way between the curb, or edge of roadway, and the property line and trees located in a median. Trees located within a public right-of-way where no roadway exists are not considered street trees.
- **Tree Caliper.** An ANSI (American National Standards Institute) standard for the measurement of nursery trees. For trees up to 6 inches in diameter, caliper is measured at 6 inches above the ground level. Trees that are 6 to 12 inches in diameter, caliper is measured at 12 inches above the ground. For nursery stock above 12 inches in diameter, a DBH measurement is used (see Diameter Breast Height).
- **Tree Head Height.** A measurement from the ground to the lowest limb for a street tree.

Tree Caliper. *See Tree.*

Tree Protection Plan. *See Tree Related Definitions, Section 3.0150.*

Tree Removal. *See Tree Related Definitions, Section 3.0150.*

Tree Survey. *See Tree Related Definitions, Section 3.0150.*

Tree Topping. *See Tree Related Definitions, Section 3.0150.*

Tree Well. *See Tree Related Definitions, Section 3.0150.*

Truck. *See Motor Vehicle.*

Under Marquee Sign. *See Signs.*

Unsafe Sign. *See Signs.*

Urban Development Value. *See Overlay District Definitions, Section 3.0120.*

Urban Services. Public services and facilities, including: a public wastewater and stormwater system, a public water supply, a street system, police and fire protection, public schools, public parks, and library services.

Use, Accessory. A use that is incidental and subordinate to the main use.

Use, Change of. The replacement of one use on a site or within an occupancy with another use. The uses may or may not be similar in nature.

Utility Facilities. *See Overlay District Definitions, Section 3.0120.*

Variance. A development proposal that includes a deviation or change from quantitative or qualitative standards.


Vehicle, Recreation. A boat, camper, motor vehicle, or portable vehicular structure capable of being towed on the highways by a motor vehicle, designed and intended for casual or short-term human occupancy for travel, recreational and vacation uses. If identified in some manner as a recreation vehicle by the manufacturer or registered as such with the State, it is prima facie a recreation vehicle. *See also Overlay District Definitions, Section 3.0120* for specific applications of this term in those areas.

Vehicle Repair. A commercial service/auto dependent use that includes vehicle engine adjustment, maintenance and repair, and minor body, electrical, interior work, cleaning and detailing. Vehicle repair does not include rebuilding or storage activities. Examples of vehicle repair include tune ups, quick lubes, service stations that provide minor repair services, muffler shops, electrical repairs, and tire services and sales.

Vehicle Sales and/or Rental Lot. A lot used for display, sale or rental of new or used vehicles, including, but not limited to, motor vehicles, boats, trailers and recreational vehicles.

Vehicular Way. A route intended for vehicular traffic such as a driveway or parking lot.

Visible. Where referenced as being visible from streets, primary internal drives, public places, or a street intersection, as used in **Sections 4.1152 Downtown Plan District, 4.1252 Civic Neighborhood Plan District, 7.0112 Corridor Design District, 7.0512 Rockwood Design District, 7.0003, 7.0210, and 11.0102(D)(7)**, a façade or site feature is visible if it can be seen when viewed from 6 feet above grade, within 250 feet of the abutting property line of a public place, and at a 90 degree angle from said property line. A building or structure is visible if any portion of its ground floor façade meets this criterion.



Visible Transmittance. The amount of light that passes through a glazing material.

Walkway. Pathway internal to a development site with a prepared surface intended for pedestrian use, including general pedestrian areas such as plazas and courts, also referred to as a private internal walkway or a walk.

Wall. For purposes of **Section 9.0100**, a wall is a fence constructed of brick, stone, concrete or other similar masonry materials. For other purposes, it is the vertical exterior surface of a building or the vertical interior surfaces that divide a building's space into rooms.

Water-Dependent. See *Overlay District Definitions, Section 3.0120*.

Waters of the State. See *Overlay District Definitions, Section 3.0120*.

Watershed. See *Overlay District Definitions, Section 3.0120.*

Wet Weather Season. The period of the year in which the frequency and volume of precipitation is expected to be the greatest. Defined for purposes of construction and development in the City of Gresham as the period between October 1 and the following May 31.

Wetland. A wetland is an area that is inundated or saturated by surface or ground water at a frequency and duration sufficient to support and under normal circumstances do support a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas. Identification and delineation of wetlands must be performed by a qualified wetland specialist as set forth in the 1987 Corps of Engineers Wetland Delineation Manual, and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region.

Wind Sign. See *Signs.*

Window Mullion (or Mullion). A dividing element in a window or window opening which separates and supports individual panes of glass.

Window Sign, Inside. See *Signs.*

Window Sign, Outside. See *Signs.*


Wireless Communication Facility Tower or WCF Tower. A monopole or other structure not attached to a building that is erected to support wireless communication facility antennas and connecting appurtenances.

Woody Debris. See *Overlay District Definitions, Section 3.0120.*

Xeriscaping. A landscaping method that utilizes water-conserving techniques, such as the use of drought-tolerant plants and efficient irrigation.

Yard. An area on a lot between a primary structure and the lot lines. A yard extends from the ground upward. The portion of a yard required to be unoccupied by structures above grade - except for projections and the specific secondary uses or accessory structures allowed in such area as specified elsewhere in this ordinance - is known as a yard setback area.

- **Front Yard.** A space extending the full width of the lot between a building line and the front lot line or reservation line.
- **Rear Yard.** A space extending the full width of the lot between a building and the rear lot line or reservation line.
- **Side Yard.** A space extending from the front yard to the rear yard between a building and the nearest side lot line or reservation line.



Zero Lot Line. See *Lot Line.*

3.0120 OVERLAY DISTRICT TERMS AND DEFINITIONS

The following definitions apply within the Hillside and Geologic Risk Overlay, Natural Resource Overlay, and to Floodplain-related applications, including but not limited to **Section 5.0100**, Floodplain Overlay District.

Aquatic Habitat. Habitat structure that is the combination of vegetation, woody materials and certain configurations of pool and riffle sequences in the stream channel, off-channel wetlands, side channels, oxbows, meanders, backwaters, frequently flooded areas (10-year flood event or higher) and spawning gravel.

Areal Cover. A measure of vegetative strata that defines the degree to which the canopy vegetative layer covers the ground surface.

Basement. Any area of the building having its floor subgrade (below ground level) on all sides.

Below-Grade Crawl Spaces. An enclosed area below the base flood elevation in which the interior grade is not more than two feet below the lowest adjacent exterior grade and the height, measured from the interior grade of the crawlspace to the top of the crawlspace foundation, does not exceed 4 feet at any point.

Building Footprint. The area that is covered by buildings or other roofed structures. Building footprint also includes uncovered horizontal structures such as decks, stairways and entry bridges that are more than 6 feet above grade.

Certified Engineering Geologist. Any State of Oregon Registered Geologist who is certified in the specialty of Engineering Geology under provisions of ORS 672.505 to 672.705.

Critical Facility. A facility for which even a slight chance of flooding might be too great. Critical facilities include, but are not limited to schools, nursing homes, hospitals, police, fire and emergency response installations, installations which produce, use or store hazardous materials or hazardous waste.

Dangerous Tree. A tree that meets one of the following:

- A tree which is diseased, infested by insects or fungus, or rotting and which cannot be saved by reasonable treatment or pruning or which must be removed to prevent the spread of the infestation or disease to other trees.
- A tree in such condition that presents a foreseeable danger of inflicting damage that cannot be alleviated by treatment or pruning. Damage may include injury to people or damage that cannot be alleviated by treatment or pruning. Damage may include injury to people or damage to structures or vehicles within a target zone equal to the height of the tree. Conditions may include root damage, instability, and completely dead trees.
- A tree that will prevent emergency access in the case of medical hardship.

Development. Any man-made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations or storage of equipment or materials.

Disturb. To make man-made changes to the existing physical status of the land, which are made in connection with development.

Disturbance Area. An area identified in an approved development permit that contains, or will contain, all legally allowed temporary and permanent development, exterior improvements, and staging and storage areas on the site. A disturbance area may contain two subareas, the permanent disturbance area and the temporary disturbance area.

- **Permanent Disturbance Area.** All areas occupied by existing or proposed structures or exterior improvements (including landscaping). The permanent disturbance area also includes areas where vegetation must be managed to accommodate overhead utilities, existing or proposed landscaped areas, and roadside areas subject to regular vegetation management to maintain safe visual or vehicle clearance.
- **Temporary Disturbance Area.** The portion of the site that will be disturbed for the proposed development but not permanently occupied by structures or exterior improvements. It includes staging and storage areas used during construction and all areas graded to facilitate proposed development on the site but will not be covered by permanent development. It also includes areas disturbed during construction to place underground utilities, where the land above the utility will not otherwise be occupied by structures or exterior improvements.

Ecological Functions (or Functions). The primary biological, chemical, and hydrologic characteristics of healthy fish and wildlife habitat that must be present for natural systems to work property.

Environmental Technical Guidance Manual. A compilation of the detailed processes, timelines, and available options for meeting the intent of the regulatory language within Gresham’s Environmental Overlays, specifically the Natural Resource Overlay, the Hillside and Geologic Risk Overlay, and the Floodplain Overlay. Content of the guidance manual is to be used in tandem with development code and does not substitute for, amend, or supersede development code language of the environmental overlays.

Fill. Any material such as, but not limited to, sand, soil, rock or gravel that is placed in a wetland or floodplain for the purposes of development or redevelopment.

Flood Areas. The land within the 100-year floodplain, flood area, and floodway as shown on the Federal Emergency Management Agency (FEMA) Flood Insurance maps and all lands that were inundated in the February 1996 flood (note that areas that were mapped as flood areas but were filled to a level above the base flood level prior to September 30, 2005, consistent with all applicable local, state, and federal laws shall no longer be considered habitat based on their status as flood areas).

Flood Management Areas. The land within the 100-year floodplain, flood area and floodway as shown on the Federal Emergency Management Agency Flood Insurance Maps and the area of inundation for the February 1996 flood. In addition, all lands which have documented evidence of flooding.

Floodplain. The land subject to periodic flooding, including the 100-year floodplain as mapped by FEMA Flood Insurance Studies or other substantial evidence of actual flood events.

Geotechnical Engineer. A Professional Engineer, registered in the State of Oregon provided by ORS 672.002 to 672.325, who by training, education, and experience is qualified in the practice of geotechnical or soils engineering practices.

High Slope Subarea or HSS. Those lands within the Hillside and Geologic Risk Overlay boundary which have native slopes (prior to development) or 35 percent or greater. The boundaries of the subarea are based on a GIS-supported application of the mapping protocols in **Section 5.0214**.

High Value Resource Area or HVRA. An area identified on the Natural Resources Overlay Map and subject to the development standards of the NRO district for High Value Resource Areas.

Hydrologic Unit Codes (HUCs). Nationally standardized divisions of drainage basins, created by the United States Geologic Service (USGS) and Natural Resource Conservation Service, based on topographic, hydrologic, and other relevant landscape characteristics without regard for administrative, political, or jurisdictional boundaries. Hydrologic Units provide a standardized system for organizing, collecting, and reporting hydrologic information for the nation. Metro regional Hydrologic Unit Codes can be found on HSGS's national database, the Watershed Boundary Dataset.

Invasive Vegetation. Plant species that are listed as invasive plants or prohibited plants on the City of Gresham Invasive Plant List (Gresham Revised Code 7.15.025).

Landslide. The movement of a mass of rock, debris, or earth down a slope. Landslides are a type of "mass wasting" which denotes any down slope movement of soil and rock under the direct influence of gravity. The term "landslide" encompasses events such as rock falls, topples, slides, spreads, and flows. Landslides can be initiated by rainfall, earthquakes, volcanic activity, changes in groundwater, disturbance and change of a slope by man-made construction activities, or any combination of these factors.

Mitigation. The reduction of adverse effects of a proposed project by considering, in the order: a) avoiding the impact all together by not taking a certain action or parts of an action; b) minimizing impacts by limiting the degree or magnitude of the action and its implementation; c) rectifying the impact by repairing, rehabilitating or restoring the affected environment; d) reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action by monitoring and taking appropriate measures; and e) compensating for the impact by replacing or providing natural resource areas.

Native Vegetation. Vegetation listed as a native plant on the City of Gresham Native Plant List and any other vegetation native to the Portland metropolitan area provided that it is not listed as an invasive/non-native, or a prohibited plant on the City of Gresham Native Plant List.

Ordinary High-Water Mark. The point below which the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil a character distinct from that of the banks with respect to vegetation as well as with respect to the soil itself.

Other Waters. Waters Of The State other than wetlands or streams.

Potential Resource Area. An area identified on the Natural Resources Overlay Map and subject to the development standards of the NRO district for Potential Resource Areas.

Practicable. Available and capable of being done after taking into consideration cost, existing technology, and logistics in light of overall project purpose and probable impact on ecological functions.

Private Public Property Interface. The private-public property interface is the area where residential or commercial land use meets publicly owned spaces, most typically natural areas. The interface is somewhat synonymous with the term Wildland-Urban Interface, and is a focal area for the intermingling of divergent land management strategies, that being the management of a lands for aesthetic, human use, and viewshed purposes vs the management of lands for slope stability, wildfire prevention, habitat, water quality, flood attenuation, climate resiliency.

Recreational Vehicle. A vehicle which is:

- Built on a single chassis;
- 400 square feet or less when measured at the largest horizontal projection;
- Designed to be self-propelled or permanently towable by a light duty truck; and
- Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Restoration. The process of returning a disturbed or altered area or feature to a previously existing natural condition.

Riparian. Those areas associated with streams, lakes and wetlands where vegetation communities are predominately influenced by their association with water.

Routine Repair and Maintenance. Activities directed at preserving an existing allowed use or facility, without expanding the development footprint or site use. Demolition is not routine repair and maintenance.

Stream. A body of running water moving over the earth's surface including stream types classified as perennial or intermittent, channelized or relocated streams in a channel or bed, such as a creek, rivulet or river, or as reflected in the current definition of the Oregon Department of State Lands.

Structure. For floodplain management purposes, a walled and roofed building, including a gas or liquid storage tank, that is principally above ground, as well as a manufactured dwelling. Structure, for insurance purposes, means:

- A building with two or more outside rigid walls and a fully secured roof, that is affixed to a permanent site;
- A manufactured dwelling ("a manufactured home," also known as a mobile home, is a structure: built on a permanent chassis, transported to its site in one or more sections, and affixed to a permanent foundation); or
- A travel trailer without wheels, built on a chassis and affixed to a permanent foundation, that is regulated under the community's floodplain management and building ordinances or laws.

For the latter purpose, "structure" does not mean a recreational vehicle or a park trailer or other similar vehicle, except as described above this definition, or a gas or liquid storage tank.

Subsidized Rates. The rates established by the Federal Insurance Administrator involving in the aggregate a subsidization by the Federal Government.

Substantial Improvement. Any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred "substantial damage" regardless of the actual repair work performed. The term does not, however, include either:

- Any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official, and which are the minimum necessary to assure safe living conditions, or
- Any alteration of a "historic structure", provided that the alteration will not preclude the structure's continued designation as a "historic structure".

Title 3 Wetland. Wetlands of metropolitan concern as shown on the Metro Water Quality and Flood Management Area Map and other wetlands added to city of county adopted Water Quality and Flood Management Area maps consistent with the criteria in Title 3, section 3.07.340(e)(3). Title 3 wetlands do not include artificially constructed and managed stormwater and water quality treatment facilities.

Utility Facilities. Portions of a system which provides for the production or transmission of heat, light, water, power, natural gas, wastewater, stormwater, telephone and cable television, communication and data.

- **Linear Utility Facilities.** Any linearly constructed portion of such systems including manholes, pipes, and lines.
- **Non-Linear Utility Facilities.** Buildings, structures or any non-linearly constructed portion of such systems including diversion structures, lift stations, pump stations, wellhead facilities, and multi-lot stormwater facilities.

Water Dependent. A structure for commerce or industry which cannot exist in any other location and is dependent on the water by reason of the intrinsic nature of its operations.

Water of the State. All natural waterways, tidal and non-tidal bays, intermittent streams, constantly flowing streams, lakes, wetlands, that portion of the Pacific Ocean that is in the boundaries of this state, all other navigable and non-navigable bodies of water in this state and those portions of the ocean shore, as defined in ORS 390.605, where removal or fill activities are regulated under a state-assumed permit program as provided in 33 U.S.C. 1344(g) of the Federal Water Pollution Control Act, as amended.

Watershed. A geographic unit defined by the flows of rainwater or snowmelt. All land in a watershed drains to a common outlet, such as a stream, lake or wetland.

Woody Debris.

- **Coarse Wood Debris.** Downed wood such as felled trees, logs, uprooted stumps, large branches and coarse roots. This includes dead wood in all stages of decomposition. Coarse woody debris is 3 inches or greater in diameter and does not include dead trees that are still standing, dead branches that are still attached to the tree, or exposed live tree roots.
- **Wood Debris Stockpiling.** Intentional accumulation of Coarse Woody Debris in amounts exceeding 3 feet high and 6 feet in any horizontal direction.
- **Large Woody Debris Placement.** Intentional placement of large (4-inch minimum diameter at midpoint) woody material (trees, logs, root wads, or major branches) in a waterway, for the purpose of improving the interaction of stream channel elements including water, sediment and bed material, nutrients, and aquatic organisms.

3.0140 RENEWABLE ENERGY RELATED TERMS AND DEFINITIONS

The following definitions apply to the application of **Section 10.0900**, Renewable Energy and sustainability sections within design district standards.

Battery Charging Station. *See Electric Vehicle Charging Station.*

Battery Charging Unit. *See Electric Vehicle Charging Unit.*

Battery Exchange Station. A facility that will enable an electric vehicle with a swappable battery to enter a drive lane and exchange the depleted battery with a fully charged battery.

Biogas. A combustible gaseous fuel produced by the breakdown of organic materials used to produce heat, steam, or electricity.

Blade. The extensions from the hub of the wind energy turbine which are designed to catch the wind and turn the rotor to generate electricity.

Electric Vehicle. Any vehicle that operates, either partially or exclusively, on electrical energy either from the grid or an off-board source. Electric vehicle examples include vehicles such as a battery electric vehicle and a plug-in hybrid electric vehicle.

Electric Vehicle Charging Station. A cluster of multiple electrical component equipment assemblies or units designed specifically to charge batteries for multiple electric vehicles on a site as a for-profit fueling station. *See also Battery Exchange Station.*

Electric Vehicle Charging Unit. A parking space that is served by battery charging equipment whose primary purpose is to charge batteries within electric vehicles via the transfer of electric energy (by conductive or inductive means) to a battery or other energy storage device in an electric vehicle.

Emissivity or Emittance. Infrared emissivity (or emittance) is a measure of the ability of a surface to shed some of its heat (in the form of infrared radiation) away from the surface (i.e., roofing membrane). High infrared emissivity helps keep surfaces cool. Metallic surfaces have a low infrared emissivity.

Photovoltaic Panel. A device used for the production of electric power through the conversion of light to electric power by semiconductor devices.

Renewable Energy Systems. Systems which produce energy from sources that do not use up finite natural resources. Examples include solar, wind, biomass, geothermal, and micro-hydro.

Solar Energy System. Equipment and devices that convert and store or transfer energy from the sun to produce electricity that is distributed to the building via an electrical panel or to the grid, offsetting electric energy that would otherwise be purchased from the utility. It typically consists of two primary components:

- Photovoltaic panels or cells, which are commonly installed on the roof or the building walls or windows; and
- One or more inverters, which convert the direct current electricity produced by the panels into alternating current electricity that can be used by the building or stored in batteries.

Solar Reflective Index. A measure of the constructed surface's ability to reject or reflect solar heat (e.g. a roof) as shown by a small temperature rise. It is defined so that a standard black surface (reflectance 0.05, emittance 0.90) is 0 and a standard white surface (reflectance 0.80, emittance 0.90) is 100. The standard reflective index combines reflectance and emittance into one number. Once the maximum temperature rise of a given material has been computed, the index can be computed by interpolating between the values for white and black. Materials with the highest values are the coolest choices for roofing.

Solar Water Heating System. Equipment and devices that have the primary purpose of collecting solar energy by preheating water so that the water heater or boiler reduces energy consumption. The system typically consists of two primary components:

- Solar collectors, which are commonly installed on the roof or the building walls or windows; and
- A storage tank, which is typically co-located with the water heater and in which potable water is preheated by the solar collectors via a heat exchanger.

3.0150 TREE RELATED TERMS AND DEFINITIONS

The following definitions apply to Tree-related applications, including but not limited to **Section 9.1000**, Tree Regulations.

Clear Cutting. Any tree removal which leaves fewer than an average of 1 tree per 1,000 square feet of lot area, well-distributed throughout the entirety of the site. This definition does not apply to sites that have fewer than an average of 1 tree per 1,000 square feet of lot area at the time development is proposed, except for sites from which the current owner or the proposed developer or his or her representative has removed Regulated Trees in excess of the number that may be removed without a development permit under **Section 9.1013** of the Development Code.

Critical Root Zone. A protection area beneath a tree containing sufficient roots required for future tree health and stability and delineated by a circle with a minimum radius of 1' for each 1" of trunk diameter (see DBH), measured horizontally from the base of the tree.

Crown Cover. The area within the drip line or perimeter of the foliage of a tree.

Diameter Breast Height (DBH). The diameter measurement of the trunk or stem of a tree at a height 4.5 feet above the ground level at the base of the tree. Trees growing on slopes are measured at the mid-point between the up-slope and down-slope sides. For multi-stemmed trees, the size is determined by measuring all the trunks at 4.5 feet and then adding the total diameter of the largest trunk to one-half the diameter of each additional trunk.

Dripline. An imaginary line along the ground that reflects the outermost extent of foliage of a tree extended vertically to the ground. The dripline radius is typically measured at approximately one foot away from the trunk of the tree for each inch of tree diameter.

Pruning. The removal of branches, water sprouts, suckers, twigs, or branches. Major pruning entails the removal of branches three inches in diameter or greater. Major pruning also includes root pruning and removal of branches and limbs that would constitute more than 20 percent of the trees foliage area. Minor pruning includes removal of deadwood and pruning less than 20 percent of the tree's foliage area.

Severe Crown Reduction. The specific reduction in the overall size of a tree and/or the severe internodal cutting back of branches or limbs to stubs within the tree's crown to such a degree as to remove the normal tree canopy and disfigure the tree. Severe crown reduction is not a form of pruning.

Stand. As applied to trees, a group of two or more trees growing in a continuous area. Also known as a grove or tree group.


Tree Protection Plan. A detailed description of how trees intended to remain after development will be protected and maintained.

Tree Protection Zone. The area of protection located in a radius from the tree at a rate of 1 foot of horizontal distance from the tree for each 1-inch diameter of tree measured at 4.5 feet above ground, or as determined by a Certified Arborist.

Tree Removal. The act of removing a tree by digging up or cutting down, or the effective removal through irreversible damage of roots, stems, or crown, including tree topping.

Tree Survey. A scaled drawing that provides the location of all trees having an eight inch or greater DBH that designates the common or botanical name of those trees, and their DBH.

Tree Topping. The practice of cutting the dominant central stem or the most ascending branches leaving stubs or lateral branches that are too small to assume the role of a terminal leader. Generally, cutting back the dominant or most ascending stem to a diameter exceeding 15 percent of the tree's diameter at breast height (DBH), or as determined by a Certified Arborist, will be considered topping.



Tree Well. A space within a sidewalk or other impervious area that has been created specifically as an area for a tree's root system to grow.

Urban Forest. Trees within a city located on public and private property that are located within specific urban environments that have particular physical characteristics, provide various benefits and serve different needs.

3.0160 TEMPORARY, INTERMITTENT, AND INTERIM USES TERMS AND DEFINITIONS

The following definitions apply to **Section 10.1400**, Temporary, Intermittent, and Interim Uses.

Agricultural Products Sales. A retail sales operation for the sale of agricultural products, such as fresh fruits, produce, flowers, nursery plants and nursery trees, where more than 75 percent of the product display area is of agricultural products. Agricultural product sales typically occur in a tent, the open air or in temporary structures such as greenhouses. Exception: Farmers' Markets.

Christmas Tree Sales. A retail sales operation primarily for the sale of Christmas trees that typically occur outside a building in a tent or in the open air. Sales can also include other items, such as related holiday items and food and beverages.

Commercial Stand. The sale of goods, services or merchandise from a location outside of a building in a mobile unit, tent or in the open air where less than 50 percent of sales is a combination of food and beverages. Exceptions include garage sales; residential lemonade stands and similar short-term sales associated with residential uses; Agricultural Product Sales and Food Carts.

Farmers' Markets. Events where farmers, ranchers, and other agricultural producers sell food, plants, flowers, and added-value products, such as jams and jellies, they have grown, raised, or produced from products they have grown or raised. In addition, some vendors sell food, and some may be community groups, services or other vendors or organizations. Farmers' markets occur on a regular basis in the same location and are open to the public.

Film Production Studios and Trailers. Mobile units or prefabricated structures for temporary use during the filming of motion pictures.

Fireworks Sales. A retail operation for the sale of fireworks that requires a state permit. The use typically occurs outside of a building in a tent or in the open air.

Intermittent Lodging. A building, or part of a building, providing temporary protective sanctuary for the homeless or victims of crime or abuse on an occasional basis during the year. Exceptions: Emergency or disaster shelters established during times of natural or man-made emergencies or disasters and Warming/cooling Shelters.

Mobile Unit. A vehicle such as a trailer, van, truck or recreational vehicle.

Real Estate Sales Office. A temporary sales office, such as in a prefabricated building, mobile unit or model home, selling real property in a subdivision or on a tract of land within the city.

Special Event. A single event or a series of events anticipated to include at least 50 people not part of the normal course of business at the location as determined by the Manager. This includes festivals, circuses, concerts, exhibitions and fairs. It does not include events such as neighborhood block parties; religious services at places of worship; events at institutional campuses designed for events; events that only require a City street closure or parks permit; an outdoor commercial use in commercial locations where they are allowed; or outdoor sales displays in location where they are allowed. Food and beverage sales are allowed as part of a special event.

Temporary Commercial, Institutional or Industrial Building. The use of a prefabricated building for conducting the affairs of a business, professional service, institution, industry or government for a limited period to accommodate construction of a new building; construction related to the renovation or expansion of an existing building or buildings; unforeseen events such as fires, windstorms or floods; or similar temporary needs as approved by the Manager. Exception: Portable classrooms.

Temporary Dwelling. A house or a manufactured dwelling used temporarily during construction of another house on the same lot or because of an unforeseen event such as a fire, windstorm or flood.

Warming/Cooling Shelter. A building or part of a building providing temporary sheltering for persons affected by extreme cold or high heat. Exceptions: Intermittent Lodging and emergency or disaster shelters established during times of natural or man-made emergencies or disasters.